



**LOG SERVICE STANDARD**

**ART.**  
**2CC.LOG.0001.00**



Esempio scritta  
su profilo tondo  
in alluminio

Example of writing  
on round aluminium  
profile

Exemple d'écriture  
sur profil aluminium  
rond

Scritta di taglio laser passante  
Font: Arial, Stile: Regular, Dimensione = 10 pt, Spaziatura = 12 pt  
Numero caratteri illimitato

Through laser cut writing  
Font: Arial, Type: Regular, Size = 10 pt, Space = 12 pt  
No limit of alphanumeric characters

Ecriture avec découpe au laser et traversante  
Font: Arial, Type: Regular, Dimension = 10 pt, Espace = 12 pt  
Nombre illimité de caractères

**LOG SERVICE CUSTOM**

**ART.**  
**2CC.LOG.9999.00**



Esempio logo  
su profilo quadro  
in acciaio satinato

Example of logo  
on square satin  
stainless steel profile

Exemple de logo  
sur profil en acier  
inox satiné carré


Scritta o logo di taglio laser - Font e misure a scelta  
Numero caratteri illimitato  
Disegno fornito da cliente. pba si riserva di valutare la fattibilità

Laser cut writing or Logo - Customized font and sizes  
No limit of alphanumeric characters  
The drawing must be submitted by the customer. pba reserves the right to evaluate the feasibility

Ecriture ou logo découpée au laser - Font et dimension personnalisées  
Nombre illimité de caractères  
Le dessin doit être présenté par le client. pba se réserve le droit d'évaluer la faisabilité

**FINISHES**

**STAINLESS STEEL**



Satin  
.44

Bright  
.43

**ALUMINIUM**



Bronze  
.67


Black  
.68

Silver  
.69


**HOW TO ORDER**





2CC.LOG.0001.00




ITEM	A	B	Ø	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2CC.253.9999</b> .xx	custom	custom	30 mm 1 3/16"	75 mm 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1550 mm - 61 1/32"						
<b>2CC.226.9999</b> .xx	custom	custom	35 mm 1 3/8"	80 mm 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1750 mm - 68 5/64"						
<b>2CC.296.9999</b> .xx	custom	custom	40 mm 1 37/64"	85 mm 3 11/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 2200 mm - 86 5/8"						




ITEM	A	B	Ø	D	E	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2CC.253.9991</b> .xx	custom	custom	30 mm 1 3/16"	88 mm 3 1/2"	74 mm 2 29/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1550 mm - 61 1/32"							



ITEM	A	B	□	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2CQ.121.9999</b> .xx	custom	custom	30 mm 1 3/16"	75 mm 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1600 mm - 62 63/64"						
<b>2CQ.131.9999</b> .xx	custom	custom	35 mm 1 3/8"	80 mm 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1800 mm - 70 55/64"						
<b>2CQ.141.9999</b> .xx	custom	custom	40 mm 1 37/64"	85 mm 3 11/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 2000 mm - 78 47/64"						




ITEM	A	B	□	C	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2CQ.121.9991</b> .xx	custom	custom	30 mm 1 3/16"	75 mm 2 15/16"	84 mm 3 5/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1200 mm - 47 1/4"							



**FINISHES .xx**


**STAINLESS STEEL**




Satin  
.44

Bright  
.43


**HOW TO ORDER**





2CC.LOG.0001.00



ITEM	A	B	Ø	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2AT.253.9999</b> .xx	custom	custom	30 mm 1 3/16"	75 mm 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 600 mm - 23 5/8"						
<b>2AT.226.9999</b> .xx	custom	custom	35 mm 1 3/8"	80 mm 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 800 mm - 31 1/2"						



ITEM	A	B	Ø	D	E	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2AT.253.9991</b> .xx	custom	custom	30 mm 1 3/16"	88 mm 3 1/2"	74 mm 2 29/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 600 mm - 23 5/8"							




ITEM	A	B	Ø	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
<b>2AQ.121.9999</b> .xx	custom	custom	30 mm 1 3/16"	75 mm 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 800 mm - 31 1/2"						
<b>2AQ.131.9999</b> .xx	custom	custom	35 mm 1 3/8"	80 mm 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is necessary for A > 1000 mm - 39 3/8"						

**FINISHES .xx**
**ALUMINIUM**

 Bronze  
.67

 Black  
.68

 Silver  
.69

**HOW TO ORDER**


2CC.LOG.0001.00


MODULO D'ORDINE PROGRAMMA LOG - ORDER FORM FOR PROGRAMMA LOG

**ORDER FORM FOR LOG PROGRAM**


WORD/WORDS TO CUT

CODE OF HANDLE ORDERED

CENTER



A = .....



TECHNICAL INFORMATION



In some letters a vertical support can be inserted to support the central part.



The standard font is REGULAR ARIAL 10mm height, vertically spaced of 12 mm.