
## PULLS



.XX \* indicative colors

CODE	MATERIAL	FINISH		.xx	* indicative colors	CODE	MATERIAL	FINISH
0IT. 2CC.	STAINLESS STEEL	Standard: SATIN	LRV 53	.44				
2CQ. 2CE.	AISI 316L	BRIGHT	LRV 70	.43		2CU.	COPPER	Standard SATIN C
2CP. 2CD.		PROGRAMMA PVD	Gold	.81		YOD. STA.	STAINLESS STEEL	Standard SATIN
2WC.		PVD on selected items (*) see catalogue	Black Satin	.83			AISI 316L + COPPER	+ SATIN
		POWDER-COATED	Black Ral 9005 Mat (To match with pba Black Aluminum) Black Ral 9005 Glossy White Ral 9010 Grey Champagne Bronze (To match with pba Bronze Aluminum) Architectural Bronze Medium Bronze Silver Gold COLORS ON REQUEST TO MATCH ANY RAL # Screws, grub screws and plastic parts no Available on request depending on quan	.36 .56 .41 .55 .99	r-coated.	STA.	STAINLESS STEEL AISI 316L + ALUMINUN	Standard SATIN + ALUMI // BRIGHT + ALUMI PULL Standard POWDE
YOD.	STAINLESS STEEL	Standard: SATIN + WOOD	Wenge	.46		M18.	ALUMINUM	Standar ANODI
	AISI 316L		Ash Mahogany	.47 .48		2AT. 2AQ.		SATIN
	+ WOOD		Bleached white oak	.52		2WA.		
		BRIGHT+ WOOD	Wenge	.49				
			Ash Mahogany Blaashad white cole	.50 .51	÷.,			POWD
		POWDER-COATED	Bleached white oak Black Ral 9005 Mat	.53 .40	÷.			
			(To match with pba Black Aluminum) Black Ral 9005 Glossy	.40 .26				
			White Ral 9010 Grey	.31 .32				
			Champagne	.38				
			Bronze (To match with pba Bronze Aluminum) Architectural Bronze	.39 .36				
			Medium Bronze	.56				
			Silver Gold	.41 .55		3CC.	POLYAMIDE	6 Standar
			White/Bleached White Oak Black/Wenge	.31 .40				Upon R
			COLORS ON REQUEST TO MATCH ANY RAL # Screws, grub screws and plastic parts no Available on request depending on quan	.99	r-coated.			(minimum lo
	STAINLESS	Standard:						
	STEEL AISI 316L	SATIN + LEATHER	Black PF Brown PF	.4H .4P				
	+ LEATHER	BRIGHT + LEATHER	Black PF Brown PF	.3H .3P				
		POWDER-COATED	Black Ral 9005 Mat	.40				
		POWDER-COATED	(To match with pba Black Aluminum) Black Ral 9005 Glossy	.40				
			White Ral 9010 Grey	.31 .32				
			Champagne	.38				
			Bronze (To match with pba Bronze Aluminum)	.39 .36				
			Architectural Bronze Medium Bronze	.56				
			Silver Gold	.41 .55				
			White/Leather White Black/Leather Black	.31 .40				
			COLORS ON REQUEST	.99				
			TO MATCH ANY RAL # Screws, grub screws and plastic parts no Available on request depending on quan	on powde	r-coated.			
ITH.	STAINLESS	Standard:	14/	_				
2CH.	STEEL AISI 316L	POWDER-COATED	White Black	.31 .40				
	+ LEATHER	+ LEATHER	White/White Black/Black	.31 .40				

White/Bleached White oak Black/Wenge


+ WOOD


+ WOOD


pba


2CU.	COPPER	Standard: SATIN COPPER		.86	•
YOD. STA.	STAINLESS STEEL AISI 316L + COPPER	Standard: SATIN + SATIN COPPER		.4R	
STA.	STEEL	Standard: SATIN + ALUMINUM	Silver Bronze Black	.4K .4M .4N	i
		BRIGHT + ALUMINUM	Silver Bronze Black	.3K .3M .3N	
		PULL Standard: POWDER-COATED	Silver Bronze Black	.41 .39 .40	
M18. 2AT. 2AQ. 2WA.	ALUMINUM	Standard: ANODIZED SATIN	Silver Bronze Black Champagne (only on selected arti	.69 .67 .68 .66 cles)	
		POWDER-COATED	Black Ral 9005 Mai Black Aluminum) Black Aluminum) Black Ral 9005 Glo White Ral 9010 Grey Champagne Bronze (To match with pba Bronze Aluminum) Architectural Bron Medium Bronze Silver Gold	ssy .26 .31 .32 .38 .39	
3CC.	POLYAMIDE 6	Standard:	Black LRV 5	.10	
		Upon Request: (minimum lot to be agreed)	White LRV 87 Grey LRV 27 Red LRV 9		

.31 .40















PROGRAMMA PVD Stainless Steel AISI 316L Gold PVD		
	"	
	lis_9	











PROGRAMMA IT

Stainless Steel AISI 316L





DESIGN TIBERIO CERATO E MARIO TESSAROLLO



ITEM	А	в	С	D	Е	F
• 0IT.011.0035 .xx	<b>350 mm</b> 13 25/32"	<b>410 mm</b> 16 9/64"	<b>30 mm</b> 1 3/16"	<b>52 mm</b> 2 3/64"	<b>8 mm</b> 5/16"	<b>60 mm</b> 2 23/64"
• 0IT.012.0055 .xx	<b>550 mm</b> 21 21/32"	610 mm 24"	<b>30 mm</b> 1 3/16"	<b>52 mm</b> 2 3/64"	8 mm 5/16"	<b>60 mm</b> 2 23/64"
►• 0IT.012.9999 .xx	custom	custom	30 mm	52 mm	8 mm	60 mm
<ul> <li>The additional support is</li> </ul>	s necessary fo	or A> 800 mm	- 31 1/2"			0,0 !

ITEM	А	В	С	D	Е	F			
0IT.001.0035 .xx	<b>350 mm</b> 13 25/32"	<b>520 mm</b> 20 1/2"	<b>30 mm</b> 1 3/16"	<b>65 mm</b> 2 9/16"	8 mm 5/16"	<b>44 mm</b> 1 3/4"			
0IT.002.0055 .xx	550 mm 21 21/32"	<b>720 mm</b> 28 11/32"	<b>30 mm</b> 1 3/16"	<b>65 mm</b> 2 9/16"	8 mm 5/16"	<b>44 mm</b> 1 3/4"			
► 01T.002.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	65 mm 2 9/16"	8 mm 5/16"	<b>44 mm</b> 1 3/4"			
► The additional support is necessary for A > 800 mm - 31 1/2"									

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.


Declare.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.









ITEM	А	В	С	D	Е					
• 0IT.071.0035 .xx	<b>350 mm</b> 13 25/32"	<b>400 mm</b> 15 3/4"	<b>30 mm</b> 1 3/16"	<b>50 mm</b> 1 31/32"	<b>8 mm</b> 5/16"					
• 0IT.072.0055 .xx	<b>550 mm</b> 21 21/32"	600 mm 23 5/8"	<b>30 mm</b> 1 3/16"	<b>50 mm</b> 1 31/32"	<b>8 mm</b> 5/16"					
• 0IT.072.9999 .xx	custom	custom	30 mm	50 mm	8 mm					
<ul> <li>The additional support is</li> </ul>	<ul> <li>The additional support is necessary for A&gt; 800 mm - 31 1/32" 5/16"</li> </ul>									

ITEM	Α	В	С	D	E	F
• 0IT.082.0050 .xx	500 mm	550 mm	<b>30 mm</b>	<b>50 mm</b>	<b>8 mm</b>	<b>95 mm</b>
	19 11/16"	21 21/32"	1 3/16"	1 31/32"	5/16"	3 3/4"
• 0IT.083.0070 .xx	<b>700 mm</b>	<b>755 mm</b>	<b>30 mm</b>	<b>50 mm</b>	<b>8 mm</b>	<b>105 mm</b>
	27 9/16"	29 3/4"	1 3/16"	1 31/32"	5/16"	4 1/8"

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44

- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



## PROGRAMMA IT



D <u>C</u> А В  $\|$ E F





ITEM	А	в	С	D	Е	F	ITEM	А	В	с	D	E
• 0IT.081.0035 .xx				<b>50 mm</b> 1 31/32"	<b>8 mm</b> 5/16"		• 0IT.150.0025 .xx				<b>50 mm</b> 1 31/32"	<b>5 mm</b> 3/16"

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 90010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.




## PROGRAMMA IT

PATENT


0000098918

P B A PATENTED DESIGN



PATENT

0000098918



ITEM	А	В	С	D	Е
• 0IT.151.0025 .xx		<b>270 mm</b> 10 5/8"		<b>52 mm</b> 2 3/64"	<b>5 mm</b> 3/16"

ITEM	А	в	С	D	Е
• 0IT.152.0025 .xx		<b>270 mm</b> 10 5/8"		<b>52 mm</b> 2 3/64"	<b>5 mm</b> 3/16"

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44

- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 90010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.






PATENT

0000098918

P B A PATENTED DESIGN



ITEM	Α	в	с	D	Е
• 0IT.153.0025 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	<b>52 mm</b>	<b>5 mm</b>
	9 27/32"	10 5/8"	25/32"	2 3/64"	3/16"

ITEM	Α	в	С	D	Е	F			
• 0IT.091.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	<b>8 mm</b> 5/16"	<b>42 mm</b> 1 21/32"			
• 01T.092.0055 .xx	<b>550 mm</b> 21 21/32"	<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	8 mm 5/16"	<b>42 mm</b> 1 21/32"			
• 0IT.092.9999 .xx	custom	custom	30 mm	55 mm	8 mm 5/16"	<b>42 mm</b>			
The additional support is necessary for A > 800 mm - 31 1/2"									

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

Declare.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



•



۲	- 0	ø
	A B	
a.	- 0	
	D	E

-

	ITEM	Α	В	С	D	E	F			
•	0IT.101.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>64 mm</b> 2 17/32"	8 mm 5/16"	<b>46 mm</b> 1 13/16"			
•	0IT.102.0055 .xx	<b>550 mm</b> 21 21/32"	<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>64 mm</b> 2 17/32"	8 mm 5/16"	<b>46 mm</b> 1 13/16"			
<b>•</b> •	0IT.102.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>64 mm</b> 2 17/32"	8 mm 5/16"	<b>46 mm</b> 1 13/16"			
►	The additional support is necessary for A > 800 mm - 31 1/2"									

ITEM	А	В	Ø	С	D	Е			
• 0IT.021.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	<b>8 mm</b> 5/16"			
• 0IT.022.0055 .xx	<b>550 mm</b> 21 21/32"	<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	<b>8 mm</b> 5/16"			
► • 0IT.022.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	55 mm 2 5/32"	8 mm 5/16"			
<ul> <li>The additional support is necessary for A &gt; 800 mm - 31 1/2"</li> </ul>									

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44 STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83

Screws and grub screws not pvd

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



ø

Ë



ø \_\_\_\_

Е

•	- 0	
	A	В
3	- 0	
		E

ITEM	А	в	Ø	С	D	E	F	
• 0IT.031.0035 .xx		500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	<b>8 mm</b> 5/16"	<b>75 mm</b> 2 15/16"	
• 01T.032.0055 .xx		<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>55 mm</b> 2 5/32"	8 mm 5/16"	<b>75 mm</b> 2 15/16"	
• 0IT.032.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	55 mm 2 5/32"	8 mm 5/16"	<b>75 mm</b> 2 15/16"	
► The additional support is necessary for A > 800 mm - 31 1/2"								

ITEM	А	В	Ø	С	D	E	F		
• 0IT.041.0035 .xx		500 mm 19 11/16"		<b>30 mm</b> 1 3/16"	<b>64 mm</b> 2 17/32"	8 mm 5/16"	<b>45 mm</b> 1 3/4"		
• 0IT.042.0055 .xx		<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	64 mm 2 17/32"	8 mm 5/16"	<b>45 mm</b> 1 3/4"		
• 0IT.042.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>64 mm</b> 2 17/32"	8 mm 5/16"	<b>45 mm</b> 1 3/4"		
The additional support is necessary for A > 800 mm - 31 1/2"									

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44

- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE. ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

Declare.

• •





ITEM	А	в	Ø	С	D	Е			
0IT.051.0035 .xx	<b>350 mm</b> 13 25/32"	<b>500 mm</b> 19 11/16"	<b>25 mm</b> 1"	<b>25 mm</b> 1"	<b>78 mm</b> 3 1/16"	<b>38 mm</b> 1 1/2"			
0IT.052.0055 .xx	<b>550 mm</b> 21 21/32"	<b>700 mm</b> 27 9/16"	<b>25 mm</b> 1"	<b>25 mm</b> 1"	<b>78 mm</b> 3 1/16"	<b>38 mm</b> 1 1/2"			
► 01T.052.9999 .xx	custom	custom	<b>25 mm</b> 1"	<b>25 mm</b> 1"	<b>78 mm</b> 3 1/16"	38 mm			
The additional support is necessary for A > 1800 mm - 70 7/8"									

ITEM	А	В	Ø	С	D	Е			
0IT.061.0035 .xx	<b>350 mm</b> 13 25/32"	<b>500 mm</b> 19 11/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>83 mm</b> 3 1/4"	<b>45 mm</b> 1 3/4"			
0IT.062.0055 .xx	550 mm 21 21/32"	<b>700 mm</b> 27 9/16"	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	<b>83 mm</b> 3 1/4"	<b>45 mm</b> 1 3/4"			
• 0IT.062.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>30 mm</b> 1 3/16"	83 mm 3 1/4"	<b>45 mm</b> 1 3/4"			
<ul> <li>The additional support is necessary for A &gt; 1800 mm - 70 7/8"</li> </ul>									

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



Stainless Steel AISI 316L





ITEM	Α	В	С	D	Е				
• 2CP.001.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>50 mm</b> 1 31/32"	<b>8 mm</b> 5/16"				
► • 2CP.001.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	50 mm 1 31/32"	8 mm 5/16"				
The additional support is necessary for A > 800 mm - 31 1/2"									

ITEM	А	В	С	D	E	F
• 2CP.031.0030 .xx					<b>8 mm</b> 5/16"	<b>175 mm</b> 6 7/8"

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



FIXING I page Pulls\_108





ITEM	А	в	С	D	Е	F	ITEM
• 2CP.011.0030 .xx		<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>50 mm</b> 1 31/32"	<b>8 mm</b> 5/16"	<b>90 mm</b> 3 1/2"	• 2CP.021.0030 .xx
• 2CP.012.0035 .xx	<b>350 mm</b> 13 25/32"		<b>30 mm</b> 1 3/16"	<b>50 mm</b> 1 31/32"	8 mm 5/16"	<b>90 mm</b> 3 1/2"	

ITEM	А	В	С	D	Е	F	G
• 2CP.021.0030 .xx		<b>360 mm</b> 14 11/64"					

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



В



ITEM	А	В	С	D	Е	F	ITEM	A	в	с	D	Е	F	G
• 2CP.041.0030 .xx						<b>180 mm</b> 7 5/64"	•2CP.051.0030. xx				<b>50 mm</b> 1 31/32"		<b>190 mm</b> 7 15/32"	

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



FIXING I page Pulls\_108

PROGRAMMA 200Q

Stainless Steel AISI 316L



ITE	EM	Α	В	Ø	D	*		
• 2C	Q.041.0025 .xx	<b>250 mm</b> 9 27/32"	265 mm 10 7/16"	<b>15 mm</b> 19/32"	<b>50 mm</b> 1 31/32"	*		
► • 2C	Q.041.9999 .xx	custom	custom	<b>15 mm</b> 19/32"	50 mm	*		
► Dim	ension A max 750 mm	- 29 17/32"		19/32	1 31/32			
• 2C	Q.001.0020 .xx	<b>200 mm</b> 7 7/8"	<b>220 mm</b> 8 21/32"	<b>20 mm</b> 25/32"	60 mm 2 23/64"			
• 2C	Q.002.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	60 mm 2 23/64"			
► • 2C	Q.002.9999 .xx	custom	custom	20 mm	60 mm			
► The	additional support is r	ecessary for A	> 1100 mm - 4					
• 2C	Q.011.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	65 mm 2 9/16"			
• 2C	Q.012.0065 .xx	<b>650 mm</b> 25 5/8"	<b>675 mm</b> 26 9/16"	<b>25 mm</b> 1"	65 mm 2 9/16"			
	Q.012.9999 .xx	custom	custom	25 mm	<b>65 mm</b> 2 9/16"			
► The	additional support is r	lecessary for A	> 1150 mm - 4	5 9/32				
• 2C	Q.021.0065 .xx	650 mm 25 5/8"	680 mm 26 3/4"	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"			
► • 2C	Q.021.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	70 mm 2 3/4"			
► The	additional support is r	ecessary for A	> 1650 mm - 6		2 0/1			
• 2C	Q.031.0065 .xx	650 mm 25 5/8"	685 mm 26 31/32"	<b>35 mm</b> 1 3/8"	<b>75 mm</b> 2 15/16"			
► • 2C	Q.031.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>75 mm</b> 2 15/16"			
<ul> <li>The</li> </ul>	additional support is r	necessary for A	> 1850 mm - 7		2 10/10			
.xx	= FINISH CODE							
.43 .44	STAINLESS STEEL BRIGHT STAINLESS S							
.40 .26 .31 .32 .38 .39 .36 .56 .41 .55	STAINLESS STEEL POWDER-COATED ON REQUEST         40       BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM         426       BLACK RAL 9005 GLOSSY         431       WHITE RAL 9010         32       GREY         38       CHAMPAGNE         39       BROXZE - TO MATCH WITH PBA BRONZE ALUMINUM         36       ARCHITECTURAL BRONZE         56       MEDIUM BRONZE         41       SILVER							
.99	COLOURS ON REQU (screws, grub screws a			d)				

(screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

PVD ON REQUEST ON SELECTED ITEMS = • BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOR POWDEL AND STAINLESS STEEL

			 [ [	
ITEM	A	В	Ø	D
• 2CQ.101.0025 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"
• 2CQ.102.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"
• 2CQ.102.9999 .xx	custom	custom	20 mm 25/32"	<b>65 mm</b> 2 9/16"
The additional support is r				
• 2CQ.111.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
• 2CQ.112.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
• 2CQ.112.9999 .xx	custom	custom	25 mm 1"	<b>70 mm</b> 2 3/4"
The additional support is r	necessary for A>	1100 mm - 43	5/16"	
• 2CQ.121.0050 .xx	500 mm 19 11/16"	650 mm 25 5/8"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
• 2CQ.121.9999 .xx	custom	custom	30 mm	75 mm
The additional support is r	necessary for A>	1600 mm - 63"	1 3/16"	2 15/16"
• 2CQ.131.0060 .xx	600 mm 23 5/8"	<b>770 mm</b> 30 5/16"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
• 2CQ.131.9999 .xx	custom	custom	35 mm	80 mm
The additional support is r	necessary for A>	1800 mm - 70	1 3/8" <b>55/64"</b>	3 1/8"
2CQ.141.0100 .xx	<b>1000 mm</b> 39 3/8"	<b>1200 mm</b> 47 1/4"	<b>40 mm</b> 1 9/16"	<b>85 mm</b> 3 11/32"
2CQ.141.9999 .xx	custom	custom	<b>40 mm</b> 1 9/16"	<b>85 mm</b> 3 11/32"

1

The additional support is necessary for A > 2250 mm - 88 37/64" ►

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



FIXING D page Pulls\_107


► •


► •

> ► •

> • •

> •





ITEM	Α	В	Ø	D	E
2CQ.201.0020 .xx	200 mm 7 7/8"	<b>220 mm</b> 8 21/32"	<b>20 mm</b> 25/32"	60 mm 2 23/64"	<b>90 mm</b> 3 1/2"
2CQ.202.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	60 mm 2 23/64"	<b>90 mm</b> 3 1/2"
2CQ.202.9999 .xx	custom	custom	<b>20 mm</b> 25/32"	60 mm 2 23/64"	<b>90 mm</b> 3 1/2"
The additional support is ne	ecessary for A>	> 1100 mm - 43	3 5/16"		
2CQ.211.0030 .xx	<b>300 mm</b> 11 13/16"	325 mm 12 51/64"	25 mm 1"	65 mm 2 9/16"	100 mm 4"
2CQ.212.0035 .xx	<b>350 mm</b> 13 25/32"	<b>375 mm</b> 14 3/4"	<b>25 mm</b> 1"	<b>65 mm</b> 2 9/16"	100 mm 4"
2CQ.212.9999 .xx	custom	custom	25 mm 1"	65 mm 2 9/16"	100 mm 4"
The additional support is ne	ecessary for A>	> 1150 mm - 45	5 9/32"		
2CQ.221.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"	<b>120 mm</b> 4 23/32"
2CQ.222.0065 .xx	650 mm 25 5/8"	680 mm 26 3/4"	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"	<b>120 mm</b> 4 23/32"
2CQ.222.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"	<b>120 mm</b> 4 23/32"
The additional support is ne	ecessary for A	- 020 mm - 64	1 01/04		

ITEM	А	В	Ø	D	Е
• 2CQ.301.0030 .xx	<b>300 mm</b>	<b>328 mm</b>	<b>20 mm</b>	<b>60 mm</b>	<b>178 mm</b>
	11 13/16"	12 7/8"	25/32"	2 23/64"	7"
• 2CQ.311.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>25 mm</b>	<b>65 mm</b>	<b>210 mm</b>
	13 25/32"	15 5/32"	1"	2 9/16"	8 1/4"
• 2CQ.321.0035 .xx	<b>350 mm</b>	<b>392 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>217 mm</b>
	13 25/32"	15 7/16"	1 3/16"	2 3/4"	8 9/16"

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # .99
- (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = .83
- BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



В

D



ITEM	A	В	Ø	D	Е	F
2CQ.401.0095 .xx .1	<b>950 mm</b>	<b>975 mm</b>	<b>25 mm</b>	<b>65 mm</b>	<b>100 mm</b>	<b>75 mm</b>
	37 3/8"	38 3/8"	1"	2 9/16"	3 15/16"	2 15/16"
2CQ.401.0095 .xx.2	<b>950 mm</b>	<b>975 mm</b>	<b>25 mm</b>	<b>65 mm</b>	<b>100 mm</b>	<b>75 mm</b>
	37 3/8"	38 3/8"	1"	2 9/16"	3 15/16"	2 15/16"
2CQ.411.0120 .xx .1	<b>1200 mm</b>	<b>1230 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>120 mm</b>	<b>90 mm</b>
	47 1/4"	48 7/16"	1 3/16"	2 3/4"	4 23/32"	3 1/2"
2CQ.411.0120 .xx .2	<b>1200 mm</b>	<b>1230 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>120 mm</b>	<b>90 mm</b>
	47 1/4"	48 7/16"	1 3/16"	2 3/4"	4 23/32"	3 1/2"

ITEM	А	В	Ø	D	н	
2CQ.621.0065 .xx	<b>650 mm</b> 25 5/8"	680 mm 26 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>25 mm</b> 1"	0
► 2CQ.621.9999 .xx		custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>25 mm</b> 1"	0
<ul> <li>The additional support is r</li> </ul>	necessary for A	4 > 1200 mm -	47 1/4"			

O POWDER-COATED FINISH NOT AVAILABLE

.XX = FINISH CODE

STAINLESS STEEL

- BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOL D
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GRAY FOR LIGHT COLOR POWDEL AND STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.




• . 1 RIGHT . 2 LEFT





Ø



ITEM	А	В	Ø	с	D
2CQ.111.0301 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>79 mm</b> 3 1/8"
2CQ.112.0351 .xx	<b>350 mm</b> 13 25/32"	<b>500 mm</b> 19 11/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>79 mm</b> 3 1/8"
► 2CQ.112.9991 .xx	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>79 mm</b> 3 1/8"
<ul> <li>The additional support is n</li> </ul>	ecessary for A	> 1100 mm - 4	3 5/16"		
2CQ.121.0501 .xx	500 mm 19 11/16"	650 mm 25 5/8"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>84 mm</b> 3 5/16"
► 2CQ.121.999I .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>84 mm</b> 3 5/16"
<ul> <li>The additional support is n</li> </ul>	ecessary for A	> 1600 mm - 6	3"		

ITEM	A	в	Ø	С	D	н	
2CQ.621.0651 .xx		680 mm 26 3/4"		<b>75 mm</b> 2 15/16"	<b>84 mm</b> 3 5/16"		0
2CQ.621.999I .xx The additional support is			1 3/16"	<b>75 mm</b> 2 15/16"	<b>84 mm</b> 3 5/16"	<b>25 mm</b> 1"	0

O POWDER-COATED FINISH NOT AVAILABLE

- .XX = FINISH CODE
- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



• •





ITEM	Α	В	Ø	С
2CQ.061.0050 .xx	500 mm	<b>587 mm</b>	<b>25 mm</b>	<b>75 mm</b>
	19 11/16"	23 1/8"	1"	2 15/16"

ITEM	А	В	Ø	С	D
2CQ.051.0050 .xx	500 mm 19 11/16"			<b>77 mm</b> 3 1/16"	<b>94 mm</b> 3 45/64"

2CQ.061.0050 .xx	 <b>587 mm</b> 23 1/8"	 

.XX = FINISH CODE
-------------------


- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





ITEM	Α	в	Ø	Е	*
2CQ.701.0025 .xx		<b>265 mm</b> 10 7/16"		<b>70 mm</b> 2 3/4"	*
2CQ.711.0020 .xx	<b>200 mm</b> 7 7/8"	<b>270 mm</b> 10 5/8"	<b>20 mm</b> 25/32"	<b>80 mm</b> 3 1/8"	

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD


- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



Stainless Steel AISI 316L





ITEM	Α	в	с	D	Е	
• 2CE.011.0035 .xx	<b>350 mm</b> 13 25/32"	<b>520 mm</b> 20 1/2"	<b>40 mm</b> 1 9/16"	<b>65 mm</b> 2 9/16"	<b>20 mm</b> 25/32"	
• 2CE.012.0055 .xx	<b>550 mm</b> 21 21/32"	<b>720 mm</b> 28 11/32"	<b>40 mm</b> 1 9/16"	<b>65 mm</b> 2 9/16"	<b>20 mm</b> 25/32"	
► • 2CE.012.9999 .xx	custom	custom	<b>40 mm</b>	65 mm	20 mm	
<ul> <li>The additional support is necessary for A &gt; 1750 mm - 68 57/64"</li> </ul>						

ITEM	А	В	С	D	Е	F
• 2CE.021.0035 .xx		<b>380 mm</b> 14 31/32"	<b>40 mm</b> 1 9/16"	60 mm 2 23/64"	<b>20 mm</b> 25/32"	<b>220 mm</b> 8 21/32"
• 2CE.022.0042 .xx	<b>425 mm</b> 16 3/4"	<b>455 mm</b> 17 15/16"	<b>40 mm</b> 1 9/16"	60 mm 2 23/64"	<b>20 mm</b> 25/32"	<b>255 mm</b> 10 1/32"

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- SILVER
- GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. .83


Screws and grub screws not pvd


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

Declare.







ITEM	А	в	С	D	Е
• 2CE.001.0035 .xx	<b>350 mm</b>	<b>370 mm</b>	<b>40 mm</b>	60 mm	<b>20 mm</b>
	13 25/32"	14 9/16"	1 9/16"	2 23/64"	25/32"
• 2CE.002.0065 .xx	650 mm	670 mm	<b>40 mm</b>	60 mm	<b>20 mm</b>
	25 5/8"	26 3/8"	1 9/16"	2 23/64"	25/32"

ITEM	А	в	С	D	F
• 2CE.031.0035 .xx	<b>350 mm</b>	<b>370 mm</b>	<b>40 mm</b>	60 mm	69 mm
	13 25/32"	14 9/16"	1 9/16"	2 23/64"	2 3/4"
• 2CE.032.0065 .xx	650 mm	670 mm	<b>40 mm</b>	60 mm	69 mm
	25 5/8"	26 3/8"	1 9/16"	2 23/64"	2 3/4"

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINCESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55 SILVER GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



FIXING D page Pulls\_107





ITEM	А	в	С	D	Е
• 2CE.041.0035 .xx	<b>350 mm</b>	<b>390 mm</b>	<b>40 mm</b>	<b>65 mm</b>	<b>20 mm</b>
	13 25/32"	15 3/8"	1 9/16"	2 9/16"	25/32"
• 2CE.042.0065 .xx	650 mm	690 mm	<b>40 mm</b>	<b>65 mm</b>	<b>20 mm</b>
	25 5/8"	27 5/32"	1 9/16"	2 9/16"	25/32"

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.


ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



# PROGRAMMA 200

Stainless Steel AISI 316L





	ITEM	А	В	Ø	D					
•	• 2CC.260.0020 .xx	200 mm 7 7/8"	<b>220 mm</b> 8 21/32"	<b>20 mm</b> 25/32"	<b>60 mm</b> 2 23/64					
• •	• 2CC.260.9999 .xx	custom	custom	<b>20 mm</b> 25/32"	<b>60 mm</b> 2 23/64					
<ul> <li>The additional support is necessary for A &gt; 1000 mm - 39 3/8"</li> </ul>										
•	2CC.265.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>65 mm</b> 2 9/16"					
<b>F</b> (	• 2CC.265.9999 .xx	custom	custom	25 mm 1"	<b>65 mm</b> 2 9/16"					
۲	The additional support is ne	cessary for A >	1050 mm - 45	1/4"						
•	• 2CC.267.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"					
• •	• 2CC.267.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"					
►	The additional support is ne	cessary for A >	1550 mm - 61	1/32"						
•	• 2CC.268.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>75 mm</b> 2 15/16					
• •	• 2CC.268.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>75 mm</b> 2 15/16'					
►	The additional support is ne	cessary for A >	1750 mm - 68	57/64"						
	2CC.166.0100 .xx	1000 mm 39 3/8"	<b>1040 mm</b> 40 15/16"	<b>40 mm</b> 1 9/16"	<b>90 mm</b> 3 1/2"					
۲	2CC.166.9999 .xx	custom	custom	<b>40 mm</b> 1 9/16"	<b>90 mm</b> 3 1/2"					
	The additional support is ne	$cossanv$ for $\Delta >$	2200 mm - 86	5/8"						

				9/	Ľ
•	The additional support is necessary for A > 2200 mm - 8	86	5/8	"	

.XX = F	INISH	CODE
---------	-------	------

STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) .43 .44


STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

.40 .26 .31 .32 .38 .39 .36 .56 .41 .55

COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

PVD ON REQUEST ON SELECTED ITEMS = • BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83






	ITEM	Α	В	Ø	D	*
•	2CC.001.0012 .xx	<b>125 mm</b> 4 15/16"	<b>141 mm</b> 5 9/16"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	2CC.002.0020 .xx	200 mm	<b>216 mm</b> 8 1/2"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	2CC.003.0025 .xx	250 mm 9 27/32"	<b>266 mm</b> 10 1/2"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	2CC.004.0030 .xx	<b>300 mm</b> 11 13/16"	<b>316 mm</b> 12 7/16"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	2CC.005.0035 .xx	<b>350 mm</b> 13 25/32"	<b>366 mm</b> 14 7/16"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	2CC.006.0065 .xx	<b>650 mm</b> 25 5/8"	666 mm 26 1/4"	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
<b>•</b> •	2CC.006.9999 .xx	custom	custom	<b>16 mm</b> 5/8"	60 mm 2 23/64"	*
•	The additional support is 2CC.270.0020 .xx	necessary for A 200 mm 7 7/8"	A> 900 mm - 220 mm 8 21/32"	<b>35 7/16"</b> <b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	
•	2CC.271.0025 .xx	<b>250 mm</b> 9 27/32"	<b>270 mm</b> 10 5/8"	<b>20 mm</b> 25/32"	65 mm 2 9/16"	
•	2CC.272.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	65 mm 2 9/16"	
•	2CC.273.0035 .xx	<b>350 mm</b> 13 25/32"	<b>370 mm</b> 14 9/16"	<b>20 mm</b> 25/32"	65 mm 2 9/16"	
► •	2CC.273.9999 .xx	custom	custom	20 mm 25/32" - 39 3/8"	65 mm 2 9/16"	
•	The additional support is 2CD.205.0020 .xx	200 mm 7 7/8"	225 mm 8 27/32"	25 mm	<b>70 mm</b> 2 3/4"	
	2CD.229.0025 .xx	<b>250 mm</b> 9 27/32"	<b>275 mm</b> 10 13/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	
	2CD.230.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	
	2CD.231.0035 .xx	<b>350 mm</b> 13 25/32"	<b>375 mm</b> 14 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	
•	2CD.231.9999 .xx	custom	custom	25 mm	<b>70 mm</b> 2 3/4"	
	The additional support is 2CD.212.0023 .xx	230 mm 9 1/16"	260 mm 10 1/4"	- 45 1/4" 30 mm 1 3/16"	<b>75 mm</b> 2 15/16"	
•	2CC.206.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	ONLY PVD
	2CD.206.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	
	2CD.213.0032 .xx	<b>320 mm</b> 12 19/32"	350 mm 13 25/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	
	2CD.244.0035 .xx	<b>350 mm</b> 13 25/32"	380 mm 14 31/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	
	2CD.245.0065 .xx	<b>650 mm</b> 25 5/8"	680 mm 26 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	
•	2CD.245.9999 .xx	custom	custom	30 mm 1 3/16" - 61 1/32"	<b>75 mm</b> 2 15/16"	
•	The additional support is 2CC.219.0035 .xx	<b>350 mm</b> 13 25/32"	385 mm 15 5/32"	35 mm 1 3/8"	<b>80 mm</b> 3 1/8"	ONLY PVD
	2CD.219.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	
	2CD.256.0065 .xx	<b>650 mm</b> 25 5/8"	685 mm 26 31/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	
•	2CD.256.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	
•	The additional support is 2CC.160.0100 .xx	1000mm 39 3/8"	<b>1040mm</b> 40 15/16"	- 68 57/64" 40 mm 1 9/16"	<b>90 mm</b> 3 1/2"	
۲	2CC.160.9999 .xx	custom	custom	<b>40 mm</b> 1 9/16"	90 mm 3 1/2"	
•	The additional support is	necessary for /	A > 2200 mm ·	- 86 5/8"		

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





D

В

\*

\* \* 4

А


ITEM	Α	В	Ø	D
• 2CC.010.0020 .xx	200 mm 7 7/8"	<b>350 mm</b> 13 25/32"	<b>16 mm</b> 5/8"	<b>58 mm</b> 2 9/32"
• 2CC.011.0025 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>16 mm</b> 5/8"	<b>58 mm</b> 2 9/32"
▶ • 2CC.011.9999 .xx	custom	custom	16 mm	58 mm
<ul> <li>The additional support is no</li> <li>2CC.285.0025 .xx</li> </ul>	ecessary for A 250 mm 9 27/32"	> 900 mm - 35 400 mm 15 3/4"		65 mm 2 9/16"
• 2CC.286.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"
▶ • 2CC.286.9999 .xx	custom	custom	20 mm	65 mm
<ul> <li>The additional support is not</li> </ul>	ecessary for A	> 1000 mm - 3		2 5/10
• 2CC.242.0025 .xx	250 mm 9 27/32"	<b>400 mm</b> 15 3/4"	25 mm 1"	<b>70 mm</b> 2 3/4"
• 2CC.243.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	25 mm 1"	<b>70 mm</b> 2 3/4"
• 2CC.243.9999 .xx	custom	custom	25 mm 1"	<b>70 mm</b> 2 3/4"
<ul> <li>The additional support is no</li> </ul>	-			75
• 2CC.252.0030 .xx	<b>300 mm</b> 11 3/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
• 2CC.253.0035 .xx	<b>350 mm</b> 13 25/32"	<b>500 mm</b> 19 11/16"	<b>30 mm</b> 1 1 3/16"	<b>75 mm</b> 2 15/16"
• 2CC.253.9999 .xx	custom	custom	30 mm	<b>75 mm</b> 2 15/16"
<ul> <li>The additional support is not</li> </ul>	-			
• 2CC.225.0035 .xx	<b>350 mm</b> 13 25/32"	<b>520 mm</b> 20 1/2"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
• 2CC.226.0055 .xx	550 mm 21 21/32"	<b>720 mm</b> 28 11/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
• • 2CC.226.9999 .xx	custom	custom	35 mm 1 3/8"	80 mm
<ul> <li>The additional support is not</li> </ul>	ecessary for A	> 1750 mm - 6	8 57/64"	
2CC.296.0100 .xx	<b>1000 mm</b> 39 3/8"	<b>1200 mm</b> 47 1/4"	<b>40 mm</b> 1 9/16"	85 mm 3 11/32"
► 2CC.296.9999 .xx	custom	custom	40 mm	85 mm
<ul> <li>The additional support is not</li> </ul>	ecessary for A	> 2200 mm - 8		0 11/02
.XX = FINISH CODE				

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- SILVER

- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOR POWDEL AND STAINLESS STEEL



		_	~	_	-
• 2CC.242.0251 .xx	<b>250 mm</b>	<b>400 mm</b>	<b>25 mm</b>	<b>84 mm</b>	68 mm
	9 27/32"	15 3/4"	1"	3 5/16"	2 11/16"
• 2CC.243.0301 .xx	<b>300 mm</b>	<b>450 mm</b>	<b>25 mm</b>	<b>84 mm</b>	68 mm
	11 13/16"	17 3/4"	1"	3 5/16"	2 11/16"
<ul> <li>• 2CC.243.9991 .xx</li> <li>The additional support is</li> </ul>	custom necessary for A	custom	25 mm 1 <sup>"</sup> 45 1/4"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"
• 2CC.252.0301 .xx	<b>300 mm</b>	<b>450 mm</b>	<b>30 mm</b>	<b>88 mm</b>	<b>74 mm</b>
	11 13/16"	17 3/4"	1 3/16"	3 1/2"	2 29/32"
• 2CC.253.0351 .xx	<b>350 mm</b>	<b>500 mm</b>	<b>30 mm</b>	88 mm	<b>74 mm</b>
	13 25/32"	19 11/16"	1 3/16"	3 1/2"	2 29/32"
• 2CC.253.9991 .xx	custom	custom	<b>30 mm</b>	88 mm	<b>74 mm</b> 2 29/32"
<ul> <li>The additional support is</li> </ul>	necessary for A	> 1550 mm -		3 1/2	2 29/32


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



\* = FIXING I page Pulls\_108 FIXING D page Pulls\_107



ITEM	А	В	Ø1	Ø2	D	E
• 2CC.033.0301 .xx	<b>300 mm</b> 11 13/16"	<b>400 mm</b> 15 3/4"	<b>30 mm</b> 1 3/16"	<b>25 mm</b> 1"	<b>90 mm</b> 3 35/64"	<b>108 mm</b> 4 15/64"
<ul> <li>• 2CC.033.9991 .xx</li> <li>The additional support is n</li> </ul>	custom ecessary for A>	custom 1550 mm - 61	<b>30 mm</b> 1 3/16" <b>1/32"</b>	<b>25 mm</b> 1"	<b>90 mm</b> 3 35/64"	<b>108 mm</b> 4 15/64"
• 2CC.034.0301 .xx	<b>300 mm</b> 11 13/16"	<b>400 mm</b> 15 3/4"	<b>35 mm</b> 1 3/8"	<b>25 mm</b> 1"	<b>90 mm</b> 3 35/64"	<b>108 mm</b> 4 15/64"
► • 2CC.034.9991 .xx	custom	custom	<b>35 mm</b> 1 3/8"	25 mm	90 mm 3 35/64"	108 mm
<ul> <li>The additional support is n</li> </ul>	ecessary for A >	1750 mm - 68	57/64"			4 10/04

AVAILABLE IN DIFFERENT DIAMETER ON REQUEST

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 90010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVEP .40

- SILVER
- .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

.83

PVD ON REQUEST ON SELECTED ITEMS = • BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOR POWDEL AND STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.





Ò 45





Ø





ITEM	А	В	Ø	D	Е					
• 2CC.291.0025 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>80 mm</b> 3 1/8"					
▶ • 2CC.291.9999 .xx	custom	custom	<b>20 mm</b> 25/32"	65 mm 2 9/16"	<b>80 mm</b> 3 1/8"					
The additional support is necessary for A > 1000 mm - 39 3/8"										
• 2CD.292.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	100 mm 4"					
• 2CD.292.9999 .xx	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	100 mm 4"					
<ul> <li>The additional support is no</li> </ul>	ecessary for A	> 1200 mm - 4	7 1/4"							
• 2CD.293.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>110 mm</b> 4 5/16"					
• 2CD.293.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>110 mm</b> 4 5/16"					
<ul> <li>The additional support is no</li> </ul>	ecessary for A	> 1200 mm - 4	7 1/4"							
• 2CD.294.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>35 mm</b> 1 3/8"	80 mm 3 1/8"	<b>120 mm</b> 4 23/32"					
• 2CD.294.9999 .xx	custom	custom	35 mm	80 mm 3 1/8"	<b>120 mm</b> 4 23/32"					
<ul> <li>The additional support is no</li> </ul>	ecessary for A	> 1200 mm - 4								

ITEM	А	В	Ø	D	Е	*	
• 2CC.031.0025 .xx	<b>250 mm</b> 9 27/32"	<b>295 mm</b> 11 5/8"	<b>20 mm</b> 25/32"	<b>50 mm</b> 1 31/32"	<b>70 mm</b> 2 3/4"	*	
• 2CC.032.0030 .xx	<b>300 mm</b> 11 13/16"	<b>350 mm</b> 13 25/32"	<b>20 mm</b> 25/32"	60 mm 2 23/64"	<b>70 mm</b> 2 3/4"	*	
• 2CC.041.0030 .xx	<b>300 mm</b> 11 13/16"	<b>355 mm</b> 14"	<b>25 mm</b> 1"	<b>65 mm</b> 2 9/16"	<b>90 mm</b> 3 1/2"	*	0
• 2CC.042.0040 .xx	<b>400 mm</b> 15 3/4"	<b>475 mm</b> 18 11/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>95 mm</b> 3 3/4"	*	0
• 2CC.051.0050 .xx	<b>500 mm</b> 19 11/16"	610 mm 24"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>95 mm</b> 3 3/4"		0
• 2CC.052.0070 .xx	<b>700 mm</b> 27 9/16"	<b>855 mm</b> 33 11/16"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>95 mm</b> 3 3/4"		0

O POWDER-COATED FINISH NOT AVAILABLE

- .XX = FINISH CODE
- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.



\* = FIXING I page Pulls\_108 FIXING D page Pulls\_107



2CC.061.0050 .xx

.XX = FINISH CODE

.43 .44

.40 .26 .31 .32 .38 .39 .36 .56 .41 .55

.99

.83

500 mm

19 11/16

STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

PVD ON REQUEST ON SELECTED ITEMS = • BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

610 mm


24'

30 mm

3/16"

80 mm

3 1/8"



	ITEM	А	В	ø	D	E	
•	2CC.274.0020 .xx	200 mm 7 7/8"	220 mm 8 21/32"	20 mm 25/32"	<b>65 mm</b> 2 9/16"	<b>110 mm</b> 4 5/16"	
•	2CC.275.0025 .xx	<b>250 mm</b> 9 27/32"	<b>270 mm</b> 10 5/8"	<b>20 mm</b> 25/32"	65 mm 2 9/16"	<b>110 mm</b> 4 5/16"	
•	2CC.276.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>110 mm</b> 4 5/16"	
•	2CC.277.0035 .xx	<b>350 mm</b> 13 25/32"	<b>370 mm</b> 14 9/16"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>110 mm</b> 4 5/16"	
<b>•</b> •	2CC.277.9999 .xx	custom	custom	20 mm 25/32"	65 mm 2 9/16"	<b>110 mm</b> 4 5/16"	
•	The additional support is ne	ecessary for A>	> 1000 mm - 39	9 3/8"			
	2CD.207.0020 .xx	200 mm 7 7/8"	<b>225 mm</b> 8 27/32"	25 mm 1"	<b>70 mm</b> 2 3/4"	<b>125 mm</b> 4 15/16"	
	2CD.232.0025 .xx	<b>250 mm</b> 9 27/32"	<b>275 mm</b> 10 13/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>125 mm</b> 4 15/16"	
	2CD.233.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>125 mm</b> 4 15/16"	
	2CD.234.0035 .xx	<b>350 mm</b> 13 25/32"	<b>375 mm</b> 14 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>125 mm</b> 4 15/16"	
•	2CD.234.9999 .xx	custom	custom	25 mm	<b>70 mm</b> 2 3/4"	<b>125 mm</b> 4 15/16"	
•	The additional support is ne						
	2CD.214.0023 .xx	230 mm 9 1/16"	<b>260 mm</b> 10 1/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	135 mm 5"5/16"	
•	2CC.259.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>135 mm</b> 5" 5/16"	ONLY PVD
	2CD.259.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>135 mm</b> 5" 5/16"	
	2CD.215.0032 .xx	<b>320 mm</b> 12 19/32"	<b>350 mm</b> 13 25/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>135 mm</b> 5" 5/16"	
	2CD.246.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	135 mm 5" 5/16"	
	2CD.247.0065 .xx	650 mm 25 5/8"	680 mm 26 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	135 mm 5" 5/16"	
۲	2CD.247.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>135 mm</b> 5" 5/16"	
•	The additional support is ne	ecessary for A>	> 1550 mm - 6'	1 1/32"			
•	2CC.220.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	145 mm 5"23/32"	ONLY PVD
	2CD.220.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	145 mm 5" 23/32"	
	2CD.257.0065 .xx	650 mm 25 5/8"	685 mm 26 31/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	145 mm 5" 23/32"	
۲	2CD.257.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	<b>145 mm</b> 5" 23/32"	
•	The additional support is ne	ecessary for A >	> 1/50 mm - 6	5//64			

The additional support is necessary for A > 1750 mm - 68 57/64" ►


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



FIXING D page Pulls\_107

D А в ø Е



ITEM	А	В	Ø	D	Е		ITEM	Α	В	Ø	D	E
• 2CC.278.0025 .xx	250 mm 9 27/32"	<b>270 mm</b> 10 5/8"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>195 mm</b> 7 11/16"		• 2CC.280.0025 .xx	<b>250 mm</b> 9 27/32"	<b>270 mm</b> 10 5/8"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>160 mm</b> 6 5/16"
• 2CC.279.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>215 mm</b> 8 15/32"		• 2CC.281.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	20 mm 25/32"	65 mm 2 9/16"	180 mm
2CD.208.0015 .xx	<b>150 mm</b> 5 15/16"	<b>175 mm</b> 6 7/8"	25 mm 1"	<b>70 mm</b> 2 3/4"	<b>150 mm</b> 5 15/16"		• 2CC.237.0025 .xx	250 mm	275 mm	25/32 25 mm	70 mm	7 5/64" 160 mm
2CD.235.0025 .xx	<b>250 mm</b> 9 27/32"	<b>275 mm</b> 10 13/16"	25 mm 1"	<b>70 mm</b> 2 3/4"	215 mm 8 15/32"		200.237.0023	9 27/32"	10 13/16"	1"	2 3/4"	6 5/16"
2CD.236.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	230 mm 9 1/16"		• 2CC.238.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	180 mm 7 5/64"
2CD.216.0023 .xx	230 mm 9 1/16"	260 mm 10 1/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	210 mm 8 1/4"		• 2CC.249.0025 .xx	250 mm	280 mm	30 mm	75 mm	160 mm
2CD.248.0025 .xx	<b>250 mm</b> 9 27/32"	280 mm 11 1/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	220 mm 8 21/32"		• 2CC.250.0030 .xx	9 27/32" 300 mm	11 1/32" 330 mm	1 3/16" 30 mm	2 15/16" <b>75 mm</b>	6 5/16" 180 mm
2CD.223.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>260 mm</b> 10 1/4"		200.230.0030	11 13/16"	13"	1 3/16"	2 15/16"	7 5/64"
• 2CC.223.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>260 mm</b> 10 1/4"	ONLY PVD	• 2CC.258.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	210 mm 8 1/4"
2CD.224.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	265 mm 10 7/16"							
2CD.221.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	285 mm 11 1/4"							
• 2CC.221.0035 .xx	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	285 mm 11 1/4"	ONLY PVD						

.XX = FINISH CODE

STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

.43 .44

STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

.40 .26 .31 .32 .38 .39 .36 .56 .41 .55

COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

### PVD ON REQUEST ON SELECTED ITEMS = •

Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOR POWDEL AND STAINLESS STEEL


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

Declare.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.







ITEM	A	в	ø	D	Е
• 2CC.150.0035 .xx	<b>350 mm</b>	500 mm	<b>25 mm</b>	<b>70 mm</b>	<b>65 mm</b>
	13 25/32"	19 11/16"	1"	2 3/4"	2 9/16"
• 2CC.151.0045 .xx	<b>450 mm</b>	600 mm	<b>25 mm</b>	<b>70 mm</b>	<b>70 mm</b>
	17 3/4"	23 5/8"	1"	2 3/4"	2 3/4"
• 2CC.152.0045 .xx	<b>450 mm</b>	600 mm	<b>30 mm</b>	<b>75 mm</b>	<b>70 mm</b>
	17 3/4"	23 5/8"	1 3/16"	2 15/16"	2 3/4"
• 2CC.153.0055 .xx	550 mm	<b>700 mm</b>	<b>30 mm</b>	<b>75 mm</b>	<b>90 mm</b>
	21 21/32"	27 9/16"	1 3/16"	2 15/16"	3 1/2"

ITEM	А	В	Ø	D	Е
• 2CC.263.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	<b>62 mm</b>	<b>60 mm</b>
	11 13/16"	12 19/32"	25/32"	2 7/16"	2 23/64"
• 2CC.261.0025 .xx	<b>250 mm</b>	<b>275 mm</b>	<b>25 mm</b>	<b>65 mm</b>	<b>60 mm</b>
	9 27/32"	10 13/16"	1"	2 9/16"	2 23/64"
• 2CC.262.0050 .xx	500 mm	<b>525 mm</b>	<b>25 mm</b>	<b>65 mm</b>	<b>90 mm</b>
	19 11/16"	20 11/16"	1"	2 9/16"	3 1/2"
• 2CC.201.0030 .xx	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>70 mm</b>
	11 13/16"	13"	1 3/16"	2 3/4"	2 3/4"
• 2CC.227.0035 .xx	<b>350 mm</b>	<b>380 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>85 mm</b>
	13 25/32"	14 31/32"	1 3/16"	2 3/4"	3 11/32"
• 2CC.264.0050 .xx	500 mm	<b>530 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>110 mm</b>
	19 11/16"	20 7/8"	1 3/16"	2 3/4"	4 5/16"
• 2CC.202.0060 .xx	600 mm	<b>630 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>105 mm</b>
	23 5/8"	24 13/16"	1 3/16"	2 3/4"	4 1/8"
• 2CC.203.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>75 mm</b>	<b>80 mm</b>
	13 25/32"	15 5/32"	1 3/8"	2 15/16"	3 1/8"
• 2CC.204.0070 .xx	<b>700 mm</b>	<b>735 mm</b>	<b>35 mm</b>	<b>75 mm</b>	<b>125 mm</b>
	27 9/16"	28 15/16"	1 3/8"	2 15/16"	4 15/16"

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = •
- Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.








D

В



ITEM	Α	В	Ø	D	Е
• 2CC.101.0018 .xx	<b>180 mm</b>	<b>200 mm</b>	<b>20 mm</b>	<b>65 mm</b>	<b>50 mm</b>
	7 5/64"	7 7/8"	25/32"	2 9/16"	1 31/32"
• 2CC.102.0023 .xx	<b>230 mm</b>	<b>250 mm</b>	<b>20 mm</b>	<b>65 mm</b>	60 mm
	9 1/16"	9 27/32"	25/32"	2 9/16"	2 23/64"

ITEM	А	В	Ø	С	D
• 2CC.110.0050 .xx	500 mm 19 11/16"	<b>530 mm</b> 20 7/8"	<b>25 mm</b> 1"	<b>30 mm</b> 1 3/16"	<b>65 mm</b> 2 9/16"
<ul> <li>• 2CC.110.9999 .xx</li> <li>The additional support is n</li> </ul>	custom	custom > 1050 mm - 4	25mm <sup>1"</sup> 5 1/4"	<b>30 mm</b> 1 3/16"	65 mm 2 9/16"
• 2CC.120.0065 .xx	650 mm 25 5/8"	685 mm 26 31/32"	<b>30 mm</b> 1 3/16"	<b>35 mm</b> 1 3/8"	<b>70 mm</b> 2 3/4"
▶ • 2CC.120.9999 .xx	custom	custom	30 mm	35mm	70 mm
The additional support is n	ecessary for A	> 1550 mm - 6		1 5/0	2 3/4

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD


- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.




ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.









ITEM	А	В	С	D	
2CC.015.0025 .xx	<b>250 mm</b> 9 27/32"	270 mm 10 5/8"	<b>20 mm</b> 25/32"	<b>57 mm</b> 2 1/4"	0

O POWDER-COATED FINISH NOT AVAILABLE

ITEM	Α	В	Ø	D	Е	
• 2CC.282.0030 .xx	<b>300 mm</b> 11 13/16"	<b>320 mm</b> 12 19/32"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>160 mm</b> 6 5/16"	
• 2CC.283.0035 .xx	<b>350 mm</b> 13 25/32"	<b>370 mm</b> 14 9/16"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>180 mm</b> 7 5/64"	
2CD.239.0030 .xx	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>165 mm</b> 6 1/2"	
2CD.240.0035 .xx	<b>350 mm</b> 13 25/32"	<b>375 mm</b> 14 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>190 mm</b> 7 15/32"	
2CD.289.0030 .xx	<b>300 mm</b> 11 13/16"	<b>330 mm</b> 13"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>170 mm</b> 6 11/16"	
• 2CC.251.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>195 mm</b> 7 11/16"	ONLY PVD
2CD.251.0035 .xx	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>195 mm</b> 7 11/16"	
2CD.222.0042 .xx	<b>425 mm</b> 16 3/4"	<b>460 mm</b> 18 1/8"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	235 mm 9 1/4"	

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.







ITEM	А	в	Ø	D	Е
• 2CC.130.0030 .xx	<b>300 mm</b>	<b>325 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>180 mm</b>
	11 13/16"	12 51/64"	1"	2 3/4"	7 5/64"
• 2CC.131.0035 .xx	<b>350 mm</b>	<b>380 mm</b>	<b>30 mm</b>	<b>80 mm</b>	<b>210 mm</b>
	13 25/32"	14 31/32"	1 3/16"	3 1/8"	8 1/4"
• 2CC.132.0042 .xx	<b>425 mm</b>	<b>460 mm</b>	<b>35 mm</b>	<b>85 mm</b>	250 mm
	16 3/4"	18 1/8"	1 3/8"	3 11/32"	9 27/32"

ITEM	А	В	Ø	D	Е
2CD.140.0030 .xx	<b>300 mm</b>	<b>325 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>180 mm</b>
	11 13/16"	12 51/64"	1"	2 3/4"	7 5/64"
2CD.141.0035 .xx	350 mm	380 mm	<b>30 mm</b>	<b>75 mm</b>	<b>210 mm</b>
	13 25/32"	14 31/32"	1 3/16"	2 15/16"	8 1/4"
2CD.142.0042 .xx	<b>425 mm</b>	<b>460 mm</b>	<b>35 mm</b>	<b>80 mm</b>	255 mm
	16 3/4"	18 1/8"	1 3/8"	3 1/8"	10 1/32"

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44


- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





Satin Stainless Steel



ITEM	Α	В	Ø	D=L2	L1
2CC.260.9999.45	custom	custom	20 mm 25/32"	60 mm 2 23/64"	custom
The additional support is ne	ecessary for A>	1000 mm - 39	3/8"		
2CC.265.0030.45	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	65 mm 2 9/16"	<b>195 mm</b> 7 43/64"
2CC.265.9999.45	custom	custom	<b>25 mm</b> 1"	65 mm 2 9/16"	custom
The additional support is ne	ecessary for A>	1050 mm - 45	5 1/4"		
2CC.267.0035.45	<b>350 mm</b> 13 25/32"	<b>380 mm</b> 14 31/32"	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"	<b>240 mm</b> 9 29/64"
2CC.267.9999.45	custom	custom	<b>30 mm</b> 1 3/16"	<b>70 mm</b> 2 3/4"	custom
The additional support is ne	ecessary for A>	1550 mm - 61	1/32"		
2CC.268.0035.45	<b>350 mm</b> 13 25/32"	<b>385 mm</b> 15 5/32"	<b>35 mm</b> 1 3/8"	<b>75 mm</b> 2 15/16"	<b>235 mm</b> 9 1/4"
2CC.268.9999.45	custom	custom	35 mm	<b>75 mm</b> 2 15/16"	custom
The additional support is ne	ecessary for A>	• 1750 mm - 68			

	ITEM	А	В	ø	D	L1	L2 *
۲	2CC.011.9999.45	custom	custom	<b>16 mm</b> 5/8"	58 mm 2 9/32"	custom	custom *
•	The additional support is n 2CC.285.0025.45	ecessary for A 250 mm 9 27/32"	> 900 mm - 3 400 mm 15 3/4"	5 7/16" 20 mm 25/32"	<b>65 mm</b> 2 9/16"	<b>200 mm</b> 7 9/32"	<b>100 mm</b> 3 15/16"
	2CC.286.0030.45	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>20 mm</b> 25/32"	<b>65 mm</b> 2 9/16"	<b>250 mm</b> 9 27/32"	<b>100 mm</b> 3 15/16"
۲	2CC.286.9999.45	custom	custom	20 mm	65 mm	custom	custom
►	The additional support is n	ecessarv for A	> 1000 mm - 3		2 0/10		
	2CC.242.0025.45	250 mm 9 27/32"	<b>400 mm</b> 15 3/4"	25 mm 1"	<b>70 mm</b> 2 3/4"	200 mm 7 9/32"	<b>100 mm</b> 3 15/16"
	2CC.243.0030.45	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	250 mm 9 27/32"	<b>100 mm</b> 3 15/16"
۲	2CC.243.9999.45	custom	custom	25 mm 1"	<b>70 mm</b> 2 3/4"	custom	custom
►	The additional support is n	ecessary for A	> 1050 mm - 4	45 1/4"			
	2CC.252.0030.45	<b>300 mm</b> 11 3/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	250 mm 9 27/32"	<b>100 mm</b> 3 15/16"
	2CC.253.0035.45	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 13/16"	<b>75 mm</b> 2 15/16"	<b>300 mm</b> 11 3/16"	<b>100 mm</b> 3 15/16"
►	2CC.253.9999.45	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	custom	custom
►	The additional support is n	ecessary for A	> 1550 mm -	61 1/32"			
	2CC.225.0035.45	<b>350 mm</b> 13 25/32"	<b>520 mm</b> 20 1/2"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	<b>300 mm</b> 11 3/16"	<b>110 mm</b> 4 21/64"
	2CC.226.0055.45	550 mm 21 21/32"	<b>720 mm</b> 28 11/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	500 mm 19 11/16"	<b>110 mm</b> 4 21/64"
۲	2CC.226.9999.45	custom	custom	<b>35 mm</b> 1 3/8"	80 mm 3 1/8"	custom	custom
۲	The additional support is n	ecessary for A	> 1750 mm -				

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.




\* = FIXING I page Pulls\_108 FIXING D page Pulls\_107

### FINISH CODE

STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) + SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) .45

ø | | D В А 63



Matte Powder-coated - Verniciato

ITEM	А	В	Ø	D
2CC.287.0048 .xx	<b>914,40 mm</b> 36"	1219,20 mm 48"	<b>35 mm</b> 1 3/8"	81,70 mm 3 7/32"
The additional support is nec	essary for A > 1750	0 mm - 68 57/64"		
2CC.287.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>81,70 mm</b> 3 7/32"

ITEM	Α	В	D	Ø
2CH.015.0025 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>57 mm</b>	<b>20 mm</b>
	9 27/32"	10 5/8"	2 1/4"	25/32"





.XX = FINISH CODE

STAINLESS STEEL POWDER-COATED .31 .40 WHITE RAL 9010 BLACK RAL 9005




THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

.XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE SILVER GOLD
- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



Matte Powder-coated - Verniciato

В



Matte Powder-coated - Verniciato

D

В

ITEM	Α	В	D	ø
ITH.153.0025 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>52 mm</b>	<b>20 mm</b>
	9 27/32"	10 5/8"	2 1/16"	25/32"

ITEM	А	В	ø	D
2CH.260.0025 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	<b>60 mm</b>
	9 27/32"	10 5/8"	25/32"	2 23/64"

.40 .31

### .XX = FINISH CODE

- STAINLESS STEEL POWDER-COATED WHITE RAL 9010 BLACK RAL 9005
- .31 .40

THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.





THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





Stainless Steel - Acciaio Inox

Wood Natural Oak Not Powder-Coated Legno Rovere Naturale Non Verniciato 

ITEM	A	в	ø	D
2WC.253.T999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"

Max lenght 78 47/64" - Lunghezza massima 2000 mm The additional support is necessary for A > 1050 mm - 41 11/32"

			A	E	
			_ [		_
			Stainless St Wood Natur Legno Rove	al Oak Not	io Inox Powder-Coated Non Verniciato
ITEM	A	в	Ø	D	

custom

30 mm

1 3/16

75 mm

2 15/16

Ø

D

Max lenght 78 47/64" - Lunghezza massima 2000 mm The additional support is necessary for A > 1050 mm - 41 11/32"

2WC.121.Q999 .xx custom

Natural Oak not powder-coated



### .XX = FINISH CODE

- STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) 44 .44
  - STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT to match with pba black aluminum BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE to match with pba bronze aluminum ARCHITECTURAL BRONZE MEDIUM BRONZE

- .40 .26 .31 .32 .38 .39 .36 .56 SILVER
- .41 GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

WOOD NATURAL OAK NOT POWDER COATED NATURAL OAK NOT POWDER COATED


WOOD ON REQUEST: OAK POWDER-COATED available on request depending on quantities



AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



Wood Natural Oak Not Powder-Coated Legno Rovere Naturale Non Verniciato 

ITEM	А	В	Ø	D	L1		
2WC.406.T999 .xx	custom	custom	<b>30 mm</b>	75 mm	custom		
Max lenght 78 47/64" - Lunghezza massima 2000 mm							

The additional support is necessary for A > 1050 mm - 41 11/32"



ITEM	Α	В	Ø	D	L1	
2WC.406.Q999 .xx	custom	custom	<b>30 mm</b>	<b>75 mm</b>	custom	
Max lenght 78 47/64" - Lunghezza massima 2000 mm						

The additional support is necessary for A > 1050 mm - 41 11/32"

## Natural Oak not powder-coated



### .XX = FINISH CODE

- STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) 44 .44
  - STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT to match with pba black aluminum BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE to match with pba bronze aluminum ARCHITECTURAL BRONZE MEDIUM BRONZE
- .40 .26 .31 .32 .38 .39 .36 .56

- .41 .55 SILVER
- GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99


WOOD NATURAL OAK NOT POWDER COATED NATURAL OAK NOT POWDER COATED

WOOD ON REQUEST: OAK POWDER-COATED available on request depending on quantities



THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



### STAINLESS STEEL PLATE ON REQUEST PLACCA / PIASTRA A MISURA IN ACCIAIO INOX

ITEM	А	В	S
2MM.PLA.9999 .xx	custom	custom	2 mm 5/64"

Available with holes for fixing with screws or without holes for gluing. Fixings not included

Disponibile con fori per fissaggio con viti o senza fori per incollaggio. Fissaggi non inclusi.

### .XX = FINISH CODE

- STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D) .43 .44
- SATINE STAILESS STEEL (ANGIDENIA 650 05052D) STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 TO MATCH WITH PBA BLACK ALUMINUM WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM SILVER
- .40 .31 .32 .38 .39 .41

- COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities .99


THESE PRODUCTS CONTRIBUTE TO **LEED**® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



# PROGRAMMA YOD

Stainless Steel AISI 316L Powder-coated Wood Leather





ITEM	А	в	Ø	D
• YOD.201.0025 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	9 27/32"	10 5/8"	25/32"	2 9/16"
• YOD.202.0035 .xx	<b>350 mm</b>	<b>370 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	13 25/32"	14 9/16"	25/32"	2 9/16"
• YOD.203.0045 .xx	<b>450 mm</b>	<b>475 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	17 3/4"	18 11/16"	1"	2 3/4"
• YOD.204.0055 .xx	550 mm	<b>575 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	21 21/32"	22 5/8"	1"	2 3/4"

ART.	А	В	Ø	D
YOD.205.0035 .xx	<b>350 mm</b>	<b>370 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	13 25/32"	14 9/16"	25/32"	2 9/16"
YOD.206.0055 .xx	<b>550 mm</b>	<b>575 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	21 21/32"	22 5/8"	1"	2 3/4"

MINIMUM LOT TO BE AGREED LOTTI MINIMI DA CONCORDARE

Mahogany Wenge Ash



V PORESTS AVAILABLE ON REQUEST AND MINIMUM ORDER

STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

### .XX = FINISH CODE

	MATT CLEAR COATED WOOD
.46	WENGÈ
.49	WENGÈ
.47	ASH
50	ACU

ASH MAHOGANY

.50 .48 .51 MAHOGANY

### PVD ON REQUEST ON SELECTED ITEMS = •

.83 BLACK SATIN Colours on demand, minimum lot to be agreed. Screws and grub screws not pvd

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.







AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

### XX = FINISH CODE

- .46
- .49 .47 .50 .48 .51

- MATT CLEAR COATED WOOD
   STAINLESS STEEL

   WENGÉ
   SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D)

   WENGÉ
   BRIGHT STAINLESS STEEL (ANSI/BHMA 630 USD32D)

   ASH
   SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D)

   ASH
   SATIN STAINLESS STEEL (ANSI/BHMA 630 USD32D)

   ASH
   BRIGHT STAINLESS STEEL (ANSI/BHMA 620 USD32D)


   MAHOGANY
   SATIN STAINLESS STEEL (ANSI/BHMA 620 USD32D)


   MAHOGANY
   BRIGHT STAINLESS STEEL (ANSI/BHMA 620 USD32D)


# STAINLESS STEEL POWDERCOATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
  - BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE
- SILVER
  - GOLD
- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities









ITEM	Α	В	Ø	D
• YOD.211.0025 .xx	<b>250 mm</b>	<b>400 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	9 27/32"	15 3/4"	25/32"	2 9/16"
• YOD.212.0035 .xx	<b>350 mm</b>	500 mm	<b>20 mm</b>	<b>65 mm</b>
	13 25/32"	19 11/16"	25/32"	2 9/16"
• YOD.213.0045 .xx	<b>450 mm</b>	600 mm	<b>25 mm</b>	<b>70 mm</b>
	17 3/4"	23 5/8"	1"	2 3/4"
• YOD.214.0055 .xx	550 mm	700 mm	25 mm 1"	70 mm

ITEM	А	В	Ø	D
• YOD.301.0020 .xx	<b>200 mm</b>	<b>220 mm</b>	<b>20 mm</b>	<b>60 mm</b>
	7 7/8"	8 21/32"	25/32"	2 23/64"
• YOD.302.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	60 mm
	11 13/16"	12 19/32"	25/32"	2 23/64"
• YOD.303.0035 .xx	<b>350 mm</b>	<b>375 mm</b>	<b>25 mm</b>	<b>60 mm</b>
	13 25/32"	14 3/4"	1"	2 23/64"
• YOD.304.0045 .xx	<b>450 mm</b>	<b>475 mm</b>	<b>25 mm</b>	<b>60 mm</b>
	17 3/4"	18 11/16"	1"	2 23/64"





AVAILABLE ON REQUEST AND MINIMUM ORDER

STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 620 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 620 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

### .XX = FINISH CODE

	MATT CLEAR COATED WOOD
.46	WENGÈ
.49	WENGÈ
.47	ASH
.50	ASH

- .50 .48 .51 MAHOGANY MAHOGANY
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN Colours on demand, minimum lot to be agreed. Screws and grub screws not pvd .83


EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.


ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

Mahogany Ash Wenge

AVAILABLE ON REQUEST AND MINIMUM ORDER THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS



ø



ITEM	А	в	ø	D
• YOD.311.0020 .xx	<b>200 mm</b>	<b>350 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	7 7/8"	13 25/32"	25/32"	2  9/16"
• YOD.312.0030 .xx	<b>300 mm</b>	<b>450 mm</b>	<b>20 mm</b>	<b>65 mm</b>
	11 13/16"	17 3/4"	25/32"	2 9/16"
• YOD.313.0035 .xx	<b>350 mm</b>	<b>500 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	13 25/32"	19 11/16"	1"	2 3/4"
• YOD.314.0045 .xx	<b>450 mm</b>	600 mm	<b>25 mm</b>	<b>70 mm</b>
	17 3/4"	23 5/8"	1"	2 3/4"

• YOD.401.0025 .xx       250 mm 9 27/32"       400 mm 15 3/4"       20 mm 25/32"       65 mm 2 9/16"       100 mm 4"         • YOD.402.0035 .xx       350 mm 13 25/32"       500 mm 19 11/16"       20 mm 25/32"       65 mm 2 9/16"       100 mm 4"         • YOD.403.0035 .xx       350 mm 13 25/32"       500 mm 19 11/16"       25 mm 1"       70 mm 2 3/4"       110 mm 4 5/16"         • YOD.404.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       25 mm 1"       70 mm 2 3/4"       110 mm 4 5/16"         • YOD.405.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       30 mm 1 3/16"       75 mm 2 15/16"       120 mm 4 23/32"         • YOD.406.0055 .xx       550 mm 21 21/32"       701 mm 27 9/16"       30 mm 3 1 3/6"       75 mm 3 1/8"       120 mm 4 23/32"         • YOD.407.0055 .xx       550 mm 21 21/32"       700 mm 30 mm       35 mm 3 1/8"       80 mm 3 1/8"       130 mm 5 1/8"         • YOD.408.0075 .xx       750 mm       900 mm       35 mm       80 mm       130 mm	ITEM	А	В	Ø	D	L1
13 25/32"       19 11/16"       25/32"       2 9/16"       4"         • YOD.403.0035 .xx       350 mm 13 25/32"       500 mm 19 11/16"       25 mm 1"       70 mm 2 3/4"       110 mm 4 5/16"         • YOD.404.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       25 mm 1"       70 mm 2 3/4"       110 mm 4 5/16"         • YOD.405.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       25 mm 1 3/16"       70 mm 2 15/16"       120 mm 4 23/32"         • YOD.406.0055 .xx       550 mm 21 21/32"       700 mm 27 9/16"       30 mm 1 3/16"       75 mm 2 15/16"       120 mm 4 23/32"         • YOD.407.0055 .xx       550 mm 21 21/32"       700 mm 27 9/16"       35 mm 3 1 3/8"       80 mm 3 1/8"       130 mm 5 1/8"         • YOD.408.0075 .xx       750 mm       900 mm       35 mm       80 mm       130 mm	• YOD.401.0025 .xx					
13 25/32"       19 11/16"       1"       2 3/4"       4 5/16"         • YOD.404.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       25 mm 1"       70 mm 2 3/4"       110 mm 4 5/16"         • YOD.405.0045 .xx       450 mm 17 3/4"       600 mm 23 5/8"       30 mm 1 3/16"       75 mm 2 15/16"       120 mm 4 23/32"         • YOD.406.0055 .xx       550 mm 21 21/32"       700 mm 27 9/16"       30 mm 1 3/16"       75 mm 2 15/16"       120 mm 4 23/32"         • YOD.407.0055 .xx       550 mm 21 21/32"       700 mm 27 9/16"       35 mm 3 1/8"       80 mm 3 1/8"       130 mm 5 1/8"         • YOD.408.0075 .xx       750 mm 900 mm       35 mm       80 mm       130 mm	• YOD.402.0035 .xx					
17       3/4"       23       5/8"       1"       2       3/4"       4       5/16"         • YOD.405.0045       .xx       450 mm 17       3/4"       23       5/8"       1       3/16"       75 mm 2       120 mm 4       23/32"         • YOD.406.0055       .xx       550 mm 21       21/32"       700 mm 27       30 mm 1       3/16"       75 mm 2       120 mm 4       23/32"         • YOD.407.0055       .xx       550 mm 21       21/32"       700 mm 27       9/16"       13/16"       80 mm 3       130 mm 5       130 mm 5       180"         • YOD.408.0075       .xx       750 mm       900 mm       35 mm       80 mm       130 mm	• YOD.403.0035 .xx					
17       3/4"       23       5/8"       1       3/16"       2       15/16"       4       23/32"         • YOD.406.0055       .xx       550 mm 21       21/32"       700 mm 27       30 mm 1       3/16"       2       15/16"       4       23/32"         • YOD.407.0055       .xx       550 mm 21       21/32"       700 mm 27       9/16"       1       3/16"       2       15/16"       4       23/32"         • YOD.407.0055       .xx       550 mm 21       21/32"       700 mm 27       9/16"       1       3/8"       3       1/8"       5       1/8"         • YOD.408.0075       .xx       750 mm       900 mm       35 mm       80 mm       130 mm	• YOD.404.0045 .xx					
21       21/32"       27       9/16"       1       3/16"       2       15/16"       4       23/32"         • YOD.407.0055 .xx       550 mm       700 mm       35 mm       80 mm       130 mm         21       21/32"       27       9/16"       1       3/8"       3       1/8"         • YOD.408.0075 .xx       750 mm       900 mm       35 mm       80 mm       130 mm	• YOD.405.0045 .xx					
• YOD.408.0075 .xx 750 mm 900 mm 35 mm 80 mm 130 mm	• YOD.406.0055 .xx					
	• YOD.407.0055 .xx				00	
29 1/2" 35 7/16" 1 3/8" 3 1/8" 5 1/8"	• YOD.408.0075 .xx	750 mm 29 1/2"	<b>900 mm</b> 35 7/16"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	<b>130 mm</b> 5 1/8"

### Mahogany Ash Wenge





THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

### .XX = FINISH CODE

.46 .49 .47 .50 .48 .51	MATT CLEAR COATED WOOD WENGĖ WENGĖ ASH ASH MAHOGANY MAHOGANY	STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
--	--	--

- ASH ASH MAHOGANY MAHOGANY .47 .48 .51

  - BRIGHT STAINLESS STEEL POWDERCOATED ON REQUEST STAINLESS STEEL POWDERCOATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .40 .26
- .31
- 32
- .38 .39 .36 .56 .41 .55

- COLOURS ON REQUEST TO MATCH ANY RAL # .99 (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities
- PVD ON REQUEST ON SELECTED ITEMS = BLACK SATIN .83
  - Colours on demand, minimum lot to be agreed. Screws and grub screws not pvd

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL

Mahogany ∆sh Wenge



AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

### .XX = FINISH CODE

MATT CLEAR COATED WOOD STAINLESS STEEL STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) 46 WENGE WENGÈ ASH ASH MAHOGANY

- .49 .47 .50 .48 .51
- MAHOGANY


### PVD ON REQUEST ON SELECTED ITEMS = •

.83 BLACK SATIN Colours on demand, minimum lot to be agreed. Screws and grub screws not pvd

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.







1	



ITEM	А	В	Ø	D
YOD.260.0W25 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	<b>60 mm</b>
	9 27/32"	10 5/8"	25/32"	2 23/64"

ITEM	Α	В	Ø	D	Е	L1
• YOD.411.0035 .xx	<b>350 mm</b>	<b>500 mm</b>	<b>25 mm</b>	<b>84 mm</b>	68 mm	<b>110 mm</b>
	13 25/32"	19 11/16"	1"	3 5/16"	2 11/16"	4 5/16"
• YOD.412.0045 .xx	<b>450 mm</b>	600 mm	<b>25 mm</b>	<b>84 mm</b>	<b>68 mm</b>	<b>110 mm</b>
	17 3/4"	23 5/8"	1"	3 5/16"	2 11/16"	4 5/16"
• YOD.413.0045 .xx	<b>450 mm</b>	600 mm	<b>30 mm</b>	<b>88 mm</b>	<b>74 mm</b>	<b>120 mm</b>
	17 3/4"	23 5/8"	1 3/16"	3 1/2"	2 29/32"	4 23/32"
• YOD.414.0055 .xx	550 mm	<b>700 mm</b>	<b>30 mm</b>	88 mm	<b>74 mm</b>	<b>120 mm</b>
	21 21/32"	27 9/16"	1 3/16"	3 1/2"	2 29/32"	4 23/32"





THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

### .XX = FINISH CODE

MATT CLEAR COATED WOOD WENGË ASH ASH MAHOGANY MAHOGANY	STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
STAINLESS STEEL POWDERCC BLACK RAL 9005 MAT - TO MAT BLACK RAL 9005 GLOSSY WHITE RAL 9010 GROSY GREY CHAMPAGNE BRONZE - TO MATCH WITH PB ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD	CH WITH PBA BLACK ALUMINUM
COLOURS ON REQUEST TO M	TCH ANY DAL #

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55

.46 .49 .47 .50 .48 .51

.99

COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .83

PVD ON REQUEST ON SELECTED ITEMS = • BLACK SATIN Colours on demand, minimum lot to be agreed. Screws and grub screws not pvd EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL






AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



### Stainless Steel - Acciaio Inox Leather - Pelle

	ITEM	А	В	Ø	D	L1
	YOD.501.0025 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	200 mm 7 7/8"
	YOD.502.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	<b>250 mm</b> 9 27/32"
Þ	YOD.502.9999 .xx	custom	custom	25 mm	<b>70 mm</b> 2 3/4"	custom
•	Dimension A max 1050 mr YOD.511.0030 .xx	n - <b>45 1/4"</b> 300 mm 11 13/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>250 mm</b> 9 27/32"
	YOD.512.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>300 mm</b> 11 13/16"
	YOD.512.0U48 .xx	1066,8 mm 42"	1219,2 mm 48"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	<b>965,2 mm</b> 38"
	YOD.512.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	custom
	Dimonoion A may 1EE0 mr					

Dimension A max 1550 mm - 61 1/32"


Black Brown



.4H .3H .4P .3P	BLACK PF BROWN PF	STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.40 .26 .31 .32 .38 .39 .36 .56 .41 .55	BLACK RAL 9005 MAT BLACK RAL 9005 GLO WHITE RAL 9010 GREY CHAMPAGNE	I WITH PBA BRONZE ALUMINUM
.99	COLOURS ON REQUE	EST TO MATCH ANY RAL #

(screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL



D 60° Е 

> Stainless Steel - Acciaio Inox


Leather - Pelle


ITEM	А	В	Ø	D	Е	L1		
YOD.501.0251 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"	<b>200 mm</b> 7 7/8"		
YOD.502.0301 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"	<b>250 mm</b> 9 27/32"		
► YOD.502.9991 .xx	custom	custom	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"	custom		
<ul> <li>Dimension A max 1050 m</li> </ul>	m - 45 1/4"							
YOD.511.0301 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	88 mm 3 1/2"	<b>74 mm</b> 2 29/32"	<b>250 mm</b> 9 27/32"		
YOD.512.0351 .xx	<b>350 mm</b> 13 25/32"	<b>500 mm</b> 19 11/16"	<b>30 mm</b> 1 3/16"	<b>88 mm</b> 3 1/2"	<b>74 mm</b> 2 29/32"	<b>300 mm</b> 11 13/16"		
► YOD.512.9991 .xx	custom	custom	<b>30 mm</b> 1 3/16"	88 mm 3 1/2"	<b>74 mm</b> 2 29/32"	custom		
Dimension A max 1550 mm - 61 1/32"								



THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





Stainless Steel - Acciaio Inox Leather - Pelle

В

ITEM	Α	в	Ø	D	L1
YOD.260.0L25 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	60 mm	<b>160 mm</b>
	9 27/32"	10 5/8"	25/32"	2 23/64"	6 5/16"

Stainless Steel - Acciaio Inox
Leather - Pelle

ITEM	А	в	Ø	D	L1
YOD.613.0060 .xx	600 mm 23 5/8"	<b>770 mm</b> 30 5/16"	<b>35 mm</b> 1 3/8"	80 mm 3 5/32"	<b>440 mm</b> 17 21/64"
YOD.613.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 5/32"	custom

CTC max 70 55/64" - max length for leather WRAP 51 3/16"

Interasse massimo 1800 mm, dimensione massima pelle 1300 mm



THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.


Black

Brown

.XX = FINISH CODE LEATHER BLACK PF BLACK PF BROWN PF BROWN PF STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) .4H .3H .4P .3P STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 .40 .26 .31 .32 .38 .39 .36 .56 .41 .55 WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL



	ITEM	Α	В	Ø	D	L1
۲	2CC.288.0048 .xx	<b>914,40 mm</b> 36"	1219,20 mm 48"	<b>35 mm</b> 1 3/8"	81,70 mm 3 7/32"	609,6 mm <sup>24"</sup>
۲	<ul> <li>Dimension A max 1750 mm - 68 54/64"</li> </ul>					
	2CC.288.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	81,70 mm 3 7/32"	custom

### .XX = FINISH CODE

STAINLESS STEEL BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) + BLACK STAINLESS STEEL POWDERCOATED SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) + BLACK STAINLESS STEEL POWDERCOATED .43 .44

COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities .99

EDGE COMPONENT: BLACK FOR DARK COLOUR POWDEL GREY FOR LIGHT COLOUR POWDEL AND STAINLESS STEEL

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.






Α

250 mm

9 27/32"



Matte Powder-coated - Verniciato

D

60 mm

2 23/64

В

270 mm

10 5/8"


Leather - Pelle

ø

20 mm

25/32"





Matte Powder-coated - Verniciato Wood - Legno

ITEM	A	в	ø	D
2CH.260.0W25 .xx	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	<b>60 mm</b>
	9 27/32"	10 5/8"	25/32"	2 23/64"

.31 .40

ITEM

2CH.260.0L25 .xx



.31 .40



AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


### .XX = FINISH CODE

- STAINLESS STEEL POWDER-COATED
- .31 .40 WHITE RAL 9010 BLACK RAL 9005
- STAINLESS STEEL POWDER-COATED + LEATHER WHITE-WHITE RAL 9010 BLACK-BLACK RAL 9005 .31 .40
- STAINLESS STEEL POWDER-COATED + WOOD WHITE RAL 9010-BLEACHED WHITE OAK BLACK RAL 9005-WENGE
- .31 .40


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

PROGRAMMA PVD

Stainless Steel Bright PVD



 $\rho c c$ 



ITEM	А	В	Ø	D
PVD.206.0000.81	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>75 mm</b>
	11 13/16"	13"	1 3/16"	2 15/16"
PVD.219.0000.81	350 mm	<b>385 mm</b>	<b>35 mm</b>	<b>85 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"


ITEM	А	В	Ø	D	E
PVD.259.0000.81	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>75 mm</b>	<b>135 mm</b>
	11 13/16"	13"	1 3/16"	2 15/16"	5 5/16"
PVD.220.0000.81	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>85 mm</b>	<b>155 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"	6 1/8"

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

Pulls\_65



 $p \infty$ 



ITEM	A	в	Ø	D	Е
PVD.223.0000.81	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>75 mm</b>	<b>260 mm</b>
	11 13/16"	13"	1 3/16"	2 15/16"	10 1/4"
PVD.221.0000.81	350 mm	<b>385 mm</b>	<b>35 mm</b>	<b>85 mm</b>	<b>300 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"	11 13/16"

ITEM	А	В	Ø	D	Е
PVD.251.0000.81	<b>350 mm</b>	<b>380 mm</b>	<b>30 mm</b>	<b>75 mm</b>	<b>135 mm</b>
	13 25/32"	14 31/32"	1 3/16"	2 15/16"	5 5/16"

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.


D

В

pbo



В




ITEM	А	В	Ø	D	Е
PVD.201.0000.81	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>70 mm</b>
	11 13/16"	13"	1 3/16"	2 3/4"	2 3/4"
PVD.203.0035.81	350 mm	<b>385 mm</b>	<b>35 mm</b>	<b>75 mm</b>	<b>80 mm</b>
	13 25/32"	15 5/32"	1 3/8"	2 15/16"	3 1/8"

ITEM	Α	в	Ø	D
PVD.260.0000.81	200 mm	220 mm 8 21/32"	20 mm 25/32"	60 mm 2 23/64"

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



IIEM	A	В	Ø	D	E
PVD.051.0000.81	500 mm 19 11/16"			<b>75 mm</b> 2 15/16"	<b>95 mm</b> 3 3/4"

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.


ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

# PROGRAMMA CU

ANTIMICROBIAL







ITEM	А	В	Ø	D
2CU.242.0025.86	<b>250 mm</b>	<b>400 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	9 27/32"	15 3/4"	1"	2 3/4"
2CU.243.0030.86	<b>300 mm</b>	<b>450 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	11 13/16"	17 23/32"	1"	2 3/4"
2CU.243.9999 .86	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"

Max lenght B = 48"


ADDITIONAL SUPPORT RECOMMENDED for CTC > 31-1/2" (2 supports configuration available with OAL up to 48" with inner reinforcement)

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.





Stainless SteelSatin Copper

ITEM	А	В	Ø	D	L1
YOD.501.0C25 .4R	<b>250 mm</b>	<b>400 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>200 mm</b>
	9 27/32"	15 3/4"	1"	2 3/4"	7 7/8"
YOD.502.0C30 .4R	<b>300 mm</b>	<b>450 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>250 mm</b>
	11 13/16"	17 3/4"	1"	2 3/4"	9 27/32"
► YOD.502.C999 .4R	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	custom

► The additional support is necessary for A > 1050 mm - 41 11/32"

ITEM	А	В	Ø	D	Е	L1	
YOD.501.C25I .4R	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	<b>68 mm</b> 2 11/16"	<b>200 mm</b> 7 7/8"	
YOD.502.C30I .4R	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"	<b>250 mm</b> 9 27/32"	
▶ YOD.502.C99I .4R	custom	custom	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"	custom	
<ul> <li>The additional support is necessary for A &gt; 1050 mm - 41 11/32"</li> </ul>							

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

# FINISH CODE

.4R SATIN COPPER





ITEM	А	В	Ø	D
2CU.265.0030 .86	<b>300 mm</b> 11 13/16"	<b>325 mm</b> 12 51/64"	<b>25 mm</b> 1"	<b>65 mm</b> 2 9/16"
2CU.265.9999 .86	custom	custom	<b>25 mm</b> 1"	<b>65 mm</b> 2 9/16"


Max lenght B = 31 1/2"

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.





Stainless SteelSatin Copper

ITEM	Α	В	Ø	D	L1
YOD.260.0C25.4R	<b>250 mm</b>	<b>270 mm</b>	<b>20 mm</b>	60 mm	<b>160 mm</b>
	9 27/32"	10 5/8"	25/32"	2 23/64"	6 5/16"

Model not available custom size

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FINISH CODE COPPER .4R SATIN COPPER

STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) FIXING D page Pulls\_107






ITEM	А	В	Ø	D
2CU.229.0025.86	<b>250 mm</b> 9 27/32"	<b>275 mm</b> 10 53/64"	25 mm 1"	<b>70 mm</b> 2 3/4"
2CU.230.0030.86	<b>300 mm</b>	<b>325 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	11 13/16"	12 51/64"	1"	2 3/4"
2CU.231.0035.86	<b>350 mm</b>	<b>375 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	13 25/32"	14 49/64"	1"	2 3/4"

Model not available custom size

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION. FIXING D page Pulls\_107



\_\_\_\_

| C |

Stainless SteelSatin Copper

ITEM <b>♦</b>	А	В	Ø	С	Е	E1	L1
STU.001.0135 .4R	<b>1350 mm</b> 53 5/32"	1500 mm 59 1/16"	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>400 mm</b> 15 3/4"	<b>400 mm</b> 15 3/4"	<b>300 mm</b> 11 13/16"
* STU.001.9999 .4R .x	custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	custom	custom	custom

E1

Two fixing kit are needed

\* COMBINED VERSIONS AVAILABLE ON REQUEST





**STU.001.9999 .xx** E = 600 23 5/8" E1 = 600 23 5/8" L1 = custom **STU.001.9999 .xx** E = 200 7 7/8" E1 = 600 23 5/8" L1 = custom

. 1

. 2

**STU.001.9999 .xx** E = 600 23 5/8" E1 = 400 15 3/4" L1 = custom

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.


FINISH CODE COPPER .4R SATIN COPPER

STAINLESS STEEL SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

## PROGRAMMA STEELALU

Stainless Steel AISI 316L Aluminum








	ITEM ♦	Α	в	Ø	С	Е	E1	L1			
	STA.001.0095 .xx	<b>950 mm</b> 37 3/8"	<b>1100 mm</b> 43 5/16"	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>200 mm</b> 7 7/8"	<b>200 mm</b> 7 7/8"	<b>300 mm</b> 11 13/16"			
	STA.001.0135 .xx	1350 mm 53 5/32"	<b>1500 mm</b> 59 1/16"	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>400 mm</b> 15 3/4"	<b>400 mm</b> 15 3/4"	<b>300 mm</b> 11 13/16"			
	STA.001.0175 .xx	1750 mm 68 57/64"	<b>1900 mm</b> 74 51/64"	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	600 mm 23 5/8"	600 mm 23 5/8"	<b>300 mm</b> 11 13/16"			
*	STA.001.9999 .xx .x	custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>200 mm</b> 7 7/8"	<b>200 mm</b> 7 7/8"	custom *	ESEMPI DI COMBINAZ COMBINED VERSION		QUEST
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>200 mm</b> 7 7/8"	<b>400 mm</b> 15 3/4"	custom			
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>200 mm</b> 7 7/8"	600 mm 23 5/8"	custom		Î	ĥ
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>400 mm</b> 15 3/4"	200 mm 7 7/8"	custom			
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>400 mm</b> 15 3/4"	<b>400 mm</b> 15 3/4"	custom			
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>400 mm</b> 15 3/4"	600 mm 23 5/8"	custom			×
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	600 mm 23 5/8"	200 mm 7 7/8"	custom			
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	<b>600 mm</b> 23 5/8"	<b>400 mm</b> 15 3/4"	custom	STA.001.9999 .xx	STA.001.9999 .xx	STA.001.9999 .xx
		custom	custom	<b>20 mm</b> 25/32"	<b>74 mm</b> 2 29/32"	600 mm 23 5/8"	600 mm 23 5/8"	custom	E = 600 23 5/8" E1 = 600 23 5/8" L1 = custom	E = 200 7 7/8" E1 = 600 23 5/8" L1 = custom	E = 600 23 5/8" E1 = 400 15 3/4" L1 = custom

.XX = FINISH CODE page Pulls\_3 FIXING D THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS page Pulls\_107

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

DESTRO RIGHT
SINISTRO LEFT



Ø

.XX = FINISH CODE page Pulls\_3

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS

SINISTRO LEFT

REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND

page Pulls\_107 2 AND DIMENSIONS) WITHOUT NOTICE. ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS


INSTALLATION.

L1 A B

Ø

Acciaio Inox - Stainless Steel
 Alluminio - Aluminum

С



Acciaio Inox - Stainless Steel Alluminio - Aluminum

В

ITEM	A	в	Ø	С	L1
STA.201.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	<b>65 mm</b>	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 9/16"	9 2732"

ITEM	Α	в	Ø	С	L1
STA.211.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	<b>65 mm</b>	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 9/16"	9 27/32"




.XX = FINISH CODE page Pulls\_3



FIXING D page Pulls\_107 .4K .4M

.4N

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



ITEM	А	В	Ø	С	D	L1
STA.221.0030 .xx	<b>380 mm</b>	<b>400 mm</b>	<b>20 mm</b>	<b>65 mm</b>	<b>53 mm</b>	<b>250 mm</b>
	14 31/32"	15 3/4"	25/32"	2 9/16"	2 3/32"	9 27/32"




.XX = FINISH CODE page Pulls\_3 FIXING D page Pulls\_107 THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

pba

Acciaio Inox - Stainless Steel
 Alluminio - Aluminum



Acciaio Inox - Stainless Steel Alluminio - Aluminum

ITEM	А	в	Ø	С	L1
STA.301.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	60 mm	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 23/64"	9 27/32"

ITEM	А	в	ø	С	L1
STA.311.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	60 mm	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 23/64"	9 27/32"





.XX = FINISH CODE page Pulls\_3 FIXING D page Pulls\_107 THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ITEM	А	В	Ø	С	D	L1
STA.321.0030 .xx	<b>380 mm</b>	<b>400 mm</b>	<b>20 mm</b>	<b>60 mm</b>	<b>53 mm</b>	<b>250 mm</b>
	14 31/32"	15 3/4"	25/32"	2 23/64"	2 3/32"	9 27/32"




60

.XX = FINISH CODE page Pulls\_3 FIXING D page Pulls\_107

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

Acciaio Inox - Stainless Steel
 Alluminio - Aluminum





ITEM	А	В	ø	С	L1
STA.401.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	<b>60 mm</b>	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 23/64"	9 27/32"

ITEM	A	В	ø	с	L1
STA.411.0030 .xx	<b>300 mm</b>	<b>320 mm</b>	<b>20 mm</b>	60 mm	<b>250 mm</b>
	11 13/16"	12 19/32"	25/32"	2 23/64"	9 27/32"






.XX = FINISH CODE page Pulls\_3 FIXING D page Pulls\_107

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

| D |



ITEM	А	в	ø	С	D	L1
STA.421.0030 .xx	<b>380 mm</b>	<b>400 mm</b>	<b>20 mm</b>	60 mm	<b>53 mm</b>	<b>250 mm</b>
	14 31/32"	15 3/4"	25/32"	2 23/64"	2 3/32"	9 27/32"




.XX = FINISH CODE page Pulls\_3 FIXING D page Pulls\_107


THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

## PROGRAMMA ALUMINUM

Satin Anodized Aluminum Powder-coated Aluminum Wood Leather





ITEM	А	в	Ø	D
M18.00S.0P23 .xx	<b>230 mm</b>	<b>255 mm</b>	<b>25 mm</b>	<b>70 mm</b>
	9 1/16"	10"	1"	2 3/4"
M18.00S.0023 .xx	<b>230 mm</b>	<b>260 mm</b>	<b>30 mm</b>	<b>85 mm</b>
	9 1/16"	10 1/4"	1 3/16"	3 11/32"
M18.00S.0032 .xx	<b>320 mm</b>	<b>350 mm</b>	<b>30 mm</b>	<b>85 mm</b>
	12 19/32"	13 25/32"	1 3/16"	3 11/32"
M18.00S.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>85 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"
M18.00S.0065 .xx	<b>650 mm</b>	685 mm	<b>35 mm</b>	<b>85 mm</b>
	25 5/8"	26 31/32"	1 3/8"	3 11/32"

ITEM	А	в	ø	D	E
M18.00D.0P23 .xx	<b>230 mm</b>	<b>255 mm</b>	<b>25 mm</b>	<b>70 mm</b>	120 mm
	9 1/16"	10"	1"	2 3/4"	4 3/4"
M18.00D.0023 .xx	<b>230 mm</b>	<b>260 mm</b>	<b>30 mm</b>	<b>85 mm</b>	<b>145 mm</b>
	9 1/16"	10 1/4"	1 3/16"	3 11/32"	5 23/32"
M18.00D.0032 .xx	<b>320 mm</b>	<b>350 mm</b>	<b>30 mm</b>	<b>85 mm</b>	<b>145 mm</b>
	12 19/32"	13 25/32"	1 3/16"	3 11/32"	5 23/32"
M18.00D.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>85mm</b>	<b>155 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"	6 1/8"
M18.00D.0065 .xx	<b>650 mm</b>	685 mm	<b>35 mm</b>	<b>85 mm</b>	<b>155 mm</b>
	25 5/8"	26 31/32"	1 3/8"	3 11/32"	6 1/8"

.XX = FINISH CODE

- SATIN ANODIZED ALUMINUM
- .67 .68 .69 BRONZE
- BLACK

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

- OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE C POWDER-COATED ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 90010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD


- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55


EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





ITEM	A	в	ø	D	Е
M18.00R.0015 .xx	<b>150 mm</b>	<b>175 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>150 mm</b>
	5 29/32"	6 7/8"	1"	2 3/4"	5 29/32"
M18.00R.0017 .xx	<b>170 mm</b>	<b>195 mm</b>	<b>25 mm</b>	<b>70 mm</b>	<b>170 mm</b>
	6 11/16"	7 43/64"	1"	2 3/4"	6 11/16"
M18.00R.0023 .xx	<b>230 mm</b>	<b>260 mm</b>	<b>30 mm</b>	<b>85 mm</b>	<b>230 mm</b>
	9 1/16"	10 1/4"	1 3/16"	3 11/32"	9 1/16"
M18.00R.0030 .xx	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>85 mm</b>	<b>260 mm</b>
	11 13/16"	13"	1 3/16"	3 11/32"	10 1/4"
M18.00R.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>85 mm</b>	<b>300 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 11/32"	11 13/16"

ITEM	Α	В	Ø	D	Е
M18.00L.0030 .xx	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>85 mm</b>	<b>165 mm</b>
	11 13/16"	13"	1 3/16"	3 11/32"	56 1/2"
M18.00L.0042 .xx	<b>425 mm</b>	<b>460 mm</b>	<b>35 mm</b>	<b>85 mm</b>	<b>225 mm</b>
	16 3/4"	18 1/8"	1 3/8"	3 11/32"	8 27/32"

.XX = FINISH CODE

SATIN ANODIZED ALUMINUM

.67 .68 .69 BRONZE BLACK SILVER

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE C POWDER-COATED ALUMINUM BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD


.40 .26 .31 .32 .38 .39 .36 .56 .41 .55

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



		 ∞	E   F	A		В
ITEM +	А	В	Ø	D	Е	F
M18.00Z.0095 .xx .1	<b>950 mm</b> 37 3/8"	<b>985 mm</b> 38 25/32"	<b>35 mm</b> 1 3/8"	<b>85 mm</b> 3 11/32"	<b>155 mm</b> 6 1/8"	<b>120 mm</b> 4 3/4"
M18.00Z.0095 .xx .2	<b>950 mm</b> 37 3/8"	<b>985 mm</b> 38 25/32"	<b>35 mm</b> 1 3/8"	<b>85 mm</b> 3 11/32"	<b>155 mm</b> 6 1/8"	<b>120 mm</b> 4 3/4"

ITEM	А	в	Ø	D	Е
M18.00T.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>80 mm</b>	<b>220 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 5/32"	3 1/8"

4	6

M18.00Z.0120 .xx .1

M18.00Z.0120 .xx .2

- DESTRO RIGHT DROITE RECHTS SINISTRO LEFT GAUCHE LINKS
- .1 .2
  - DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

**1200 mm** 47 1/4"

1200 mm 47 1/4"

1235 mm

1235 mm 48 5/8"

48 5/8

**35 mm** 1 3/8"

**35 mm** 1 3/8"

85 mm

85 mm

3 11/32

11/32

155 mm

155 mm 6 1/8"

6 1/8'

120 mm

120 mm

4 3/4

4 3/4

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

- SATIN ANODIZED ALUMINUM
- .67 BRONZE
- .68 .69 BLACK


CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER


- .40
- .26 .31 .32 .38 .39 .36 .56 .41 .55
- POWDER-COSTOM FINISH PEASIBILITY TO BE VALIDATED BEFORE C POWDER-COATED ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER
- SILVER

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL



В





ITEM	А	В	Ø	D
2AT.242.0025 .xx	250 mm 9 27/32""	<b>400 mm</b> 15 3/4"	25 mm 1"	<b>70 mm</b> 2 3/4"
2AT.243.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
2AT.243.9999 .xx	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
* The additional support is no	ecessary for A	> 500 mm - 19	11/16"	
2AT.252.0030 .xx	<b>300 mm</b> 11 3/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
2AT.253.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
* 2AT.253.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
* The additional support is no	ecessary for A >	> 600 mm - 23	5/8"	
2AT.225.0035 .xx	<b>350 mm</b> 13 25/32"	<b>520 mm</b> 20 1/2"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
2AT.226.0055 .xx	550 mm 21 21/32"	<b>720 mm</b> 28 11/32"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
* 2AT.226.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
<ul> <li>The additional support is no</li> </ul>	ecessary for A >	> 800 mm - 31	1/2"	

.XX = FINISH CODE

- SATIN ANODIZED ALUMINUM .67 BRONZE
- .68 .69 BLACK

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

.40

OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE C POWDER-COATED ALUMINUM BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .26 .31 .32 .38 .39 .36 .56 .41 .55

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

ITEM	Α	В	Ø	D	Е
2AT .242.0251 .xx	<b>250 mm</b> 9 27/32"	<b>400 mm</b> 15 3/4"	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	<b>68 mm</b> 2 11/16"
2AT.243.0301 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	25 mm 1"	84 mm 3 5/16"	68 mm 2 11/16"
* 2AT.243.9991 .xx	custom	custom	<b>25 mm</b> 1"	<b>84 mm</b> 3 5/16"	68 mm 2 11/16"
* The additional support is I	necessary for A	> 500 mm - 19	11/16"		
2AT.252.0301 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>30 mm</b> 1 3/16"	<b>88 mm</b> 3 1/2"	<b>74 mm</b> 2 29/32"
2AT.253.0351 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>30 mm</b> 1 3/16"	88 mm 3 1/2"	<b>74 mm</b> 2 29/32"
* 2AT.253.9991 .xx	custom	custom	<b>30 mm</b> 1 3/16"	88 mm 3 1/2"	<b>74 mm</b> 2 29/32"
+ The additional support is a	hocossan/ for A	> 600 mm - 23	5/8"		

\* The additional support is necessary for A > 600 mm - 23 5/8

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

CERTIFICATION LEATHER PF:

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

## .XX = FINISH CODE

- SATIN ANODIZED ALUMINUM .67
- BRONZE BLACK SILVER .68 .69

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE C POWDER-COATED ALUMINUM BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40
- .26 .31 .32 .38 .39 .36 .56 .41 .55

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

ITEM	А	В	Ø1	Ø2	D	E
• 2AT.033.0301 .xx	<b>300 mm</b> 11 13/16"	<b>400 mm</b> 15 3/4"	<b>30 mm</b> 1 3/16"	<b>25 mm</b> 1"	<b>90 mm</b> 3 35/64"	<b>108 mm</b> 4 15/64"
• 2AT.033.9991 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>25 mm</b> 1"	<b>90 mm</b> 3 35/64"	<b>108 mm</b> 4 15/64"
<ul> <li>The additional support is no</li> </ul>	ecessary for A	> 600 mm -	23 5/8"			
• 2AT.034.0301 .xx	<b>300 mm</b> 11 13/16"	<b>400 mm</b> 15 3/4"	<b>35 mm</b> 1 3/8"	<b>25 mm</b> 1"	90 mm 3 35/64"	<b>108 mm</b> 4 15/64"
• 2AT.034.9991 .xx	custom	custom	<b>35 mm</b> 1 3/8"	25 mm	<b>90 mm</b> 3 35/64"	108 mm
<ul> <li>The additional support is no</li> </ul>	ecessary for A	> 800 mm -	31 1/2"			

| E |

Ø1 

А

45°

В

Ø2

D


G		Ø 	D	OVERLAPPED LEATHER
				L2 (MIN 25 mm - 1")
	B L1		A	
4	_		-	L2 (MIN 25 mm - 1")
		<ul><li>Aluminu</li><li>Leather</li></ul>	um - Alluminio - Pelle	

ITEM	Α	В	Ø	D	L1
2AT.502.9999 .xx	custom	custom	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"	custom
2AT.512.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	custom



45° Ò.





ITEM	А	В	Ø	D
2AQ.111.0030 .xx	<b>300 mm</b> 11 13/16"	<b>450 mm</b> 17 3/4"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
2AQ.112.0035 .xx	<b>350 mm</b> 13 25/32"	500 mm 19 11/16"	<b>25 mm</b> 1"	<b>70 mm</b> 2 3/4"
* 2AQ.112.9999 .xx	custom	custom	25 mm 1"	<b>70 mm</b> 2 3/4"
* The additional support is n	ecessary for A>	650 mm - 25 5/8		2 0/4
2AQ.121.0050 .xx	<b>500 mm</b> 19 11/16"	650 mm 25 5/8"	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"
* 2AQ.121.9999 .xx	custom	custom	<b>30 mm</b>	<b>75 mm</b>
* The additional support is n	ecessary for A >	800 mm - 31 1/2		2 15/10
2AQ.131.0060 .xx	600 mm 23 5/8"	<b>770 mm</b> 30 5/16"	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"
* 2AQ.131.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	80 mm
* The additional support is n	ecessary for A >	1000 mm - 39 3/		5 1/0

#### .XX = FINISH CODE

SATIN ANODIZED ALUMINUM BRONZE BLACK SILVER

- .67 .68 .69


CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

POWDER-COATED ALUMINUM BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .26 .31 .32 .38 .39 .36 .56 .41 .55

.40

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL



ITEM	А	В	Ø	D
2AT.001.0072 .xx	<b>722 mm</b>	<b>762mm</b>	<b>20 mm</b>	<b>70 mm</b>
	28 27/64"	30"	25/32"	2 3/4"
2AT.001.0087 .xx	<b>874,40 mm</b>	<b>914,40 mm</b>	<b>20 mm</b>	<b>70 mm</b>
	34 27/64"	36"	25/32"	2 3/4"
2AT.001.9999 .xx	custom	custom	<b>20 mm</b> 25/32"	<b>70 mm</b> 2 3/4"

Max lenght 60" - 1525 mm

Additional support recommended for CTC > 46" 27/64 - 1180 mm (2 supports configuration available with OAL up to 48" - 1220 mm )

Custom size available with minimum order quantity

#### .XX = FINISH CODE

SATIN ANODIZED ALUMINUM BRONZE BLACK

- .67 .68 .69 .66
- SILVER
- CHAMPAGNE


CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





ITEM	А	В	Ø	D
2WA.253.T999 .xx	custom	custom	30 mm	75 mm
Max lenght 78 47/64" - Lu	nghezza mass	sima 2000 mm	1 0/10	2 10/10

The additional support is necessary for A > 1050 mm - 41 11/32"

Natural Oak	
not powder-coated	

XX = FINISH CODE

SATIN ANODIZED ALUMINUM .67 BRONZE .68 BLACK

.69 SILVER

WOOD NATURAL OAK NOT POWDER COATED WOOD ON REQUEST: OAK POWDER-COATED available on request depending on quantities

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

- POWDER-COATED ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 40

- WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD
- .26 .31 .32 .38 .39 .36 .56 .41 .55

- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities

EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

ITEM В Ø D Α 2WA.121.Q999 .xx custom custom 30 mm 75 mm 1 3/16' 2 15/16' Max lenght 78 47/64" - Lunghezza massima 2000 mm


The additional support is necessary for A > 1050 mm - 41 11/32"

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



Natural Oak not powder-coated

XX = FINISH CODE

SATIN ANODIZED ALUMINUM .67 BRONZE BLACK

.68 .69 SILVER WOOD NATURAL OAK NOT POWDER COATED WOOD ON REQUEST: OAK POWDER-COATED available on request depending on quantities

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER

- POWDER-COATED ALUMINUM BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010

- GREY CHAMPAGNE
- CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- .99 COLOURS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powdercoated) available on request depending on quantities


EDGE COMPONENT: BLACK FOR DARK COLOR POWDEL - GREY FOR LIGHT COLOR POWDEL

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED ® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



#### STAINLESS STEEL POWDER-COATED PLATE ON REQUEST PLACCA / PIASTRA A MISURA IN ACCIAIO INOX VERNICIATO

ITEM	А	В	S
2MM.PLA.9999 .xx	custom	custom	2 mm

Available with holes for fixing with screws or without holes for gluing. Fixings not included

Disponibile con fori per fissaggio con viti o senza fori per incollaggio. Fissaggi non inclusi.

.XX = FINISH CODE

- STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities .99

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



## LOG SERVICE STANDARD



Example of writing on round aluminum profile ITEM 2CC.LOG.0001.00

Through laser cut writing Font: Arial, Type: Bold, Size = 10 pt, Space = 12 pt No limit of alphanumeric characters


## LOG SERVICE CUSTOM



Example of logo on square satined stainless steel profile ITEM 2CC.LOG.9999.00

Laser cut writing or Logo - Customized font and sizes No limit of alphanumeric characters The drawing must be submitted by the customer. pba reserves the right to evaluate the feasibility

### HOW TO ORDER





2CC.253.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.0
The additional support is r	necessary for A	. > 1550 mm - 0		2 15/10		
2CC.226.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>80 mm</b> 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.0
The additional support is r	necessary for A	.>1750 mm - (	68 57/64"			
2CC.296.9999 .xx	custom	custom	<b>40 mm</b> 1 37/64"	<b>85 mm</b> 3 11/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.0
The additional support is r	necessary for A	>2200 mm - 8	36 5/8"			


Е

74 mm

2 29/32

LOG SERVICE STANDARD

+ 2CC.LOG.0001.00





ITEM

Α

The additional support is necessary for A > 1550 mm - 61 1/32"

Α

The additional support is necessary for A > 1200 mm - 47 1/4"

custom

в

custom

Ø

30 mm

1 3/16'

С

75 mm

2 15/16'

2CC.253.999I .xx custom

60

В

custom

ø

30 mm

3/16

D

3 1/2

88 mm

	D
`¢	
A	В
`¢	
I	₩_ ¤ <sup> </sup>


ITEM	Α	В	Ø	D	LOG SERVICE STANDARD	LOG SERVICE CUSTON
2CQ.121.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is n	ecessary for A	> 1600 mm - 62	63/64"			
2CQ.131.9999 .xx	custom	custom	35 mm	80 mm	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is n	ecessary for A	> 1800 mm - 70	1 3/8" 55/64"	3 1/8"		
2CQ.141.9999 .xx	custom	custom	40 mm	85 mm	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00

D

84 mm

3 5/16'

| D A В F Ø



ITEM

2CQ.121.9991 .xx

XX = FINISH CODE

Satin STAINLESS STEEL

SATIN BRIGHT 44 .43

Bright

STAINLESS STEEL POWDER-COATED ON REQUEST BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY

GREY CHAMPAGNE BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- GOLD
- COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities .99


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

HOW TO ORDER

LOG SERVICE STANDARD

+ 2CC.LOG.0001.00



PROGRAMMA LOG


LOG SERVICE CUSTOM

LOG SERVICE CUSTOM


+ 2CC.LOG.9999.00

+ 2CC.LOG.9999.00


### Pulls\_97



ITEM	А	в	ø	D	LOG SERVICE STANDARD	LOG SERVICE CUSTOM
2AT.253.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is n	ecessary for A	>600 mm - 23	3 5/8"			
2AT.226.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	80 mm 3 1/8"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is n	ecessary for A	> 800 mm - 31	1/2"			



ITEM	А	В	Ø	D	E	LOG SERVICE STANDARD	LOG SERVICE CUSTO
2AT.253.9991 .xx	custom	custom	<b>30 mm</b>	88 mm 3 1/2"	<b>74 mm</b> 2 29/32"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00



Ø

А

D

60

ITEM	А	В	Ø	D	LOG SERVICE STANDARD	LOG SERVICE CUST
2AQ.121.9999 .xx	custom	custom	<b>30 mm</b> 1 3/16"	<b>75 mm</b> 2 15/16"	+ 2CC.LOG.0001.00	+ 2CC.LOG.9999.00
The additional support is n	ecessary for A >	> 800 mm - 31 1	/2"			

.XX = FINISH CODE Black Silver Bronze SATIN ANODIZED ALUMINUM .67 .68 .69 BRONZE BLACK SILVER

CUSTOM ANODIZED POLISHED FINISH NOT AVAILABLE. OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ORDER


- OTHER CUSTOM FINISH FEASIBILITY TO BE VALIDATED BEFORE ( POWDER-COATED ALUMINUM ON REQUEST BLACK RAL 9005 MAT TO MATCH WITH PBA BLACK ALUMINUM BLACK RAL 9005 GLOSSY WHITE RAL 9010 GREY CHAMPAGNE BRONZE TO MATCH WITH PBA BRONZE ALUMINUM ARCHITECTURAL BRONZE MEDIUM BRONZE SILVER GOLD

- .40 .26 .31 .32 .38 .39 .36 .56 .41 .55
- COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities .99

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

HOW TO ORDER



PROGRAMMA LOG

## PROGRAMMA 300

Polyamide 6

FIXING D page Pulls\_110

PROGRAMMA 300

D

В

А

Е

Ø

В

**260 mm** 10 1/4"

280 mm

**330 mm** 13"

385 mm

**685 mm** 26 15/16"

custom

Α

**230 mm** 9 1/16"

**250 mm** 9 27/32"

**300 mm** 11 13/16"

350 mm

650 mm

custom

ø

30 mm

1 3/16'

**30 mm** 1 3/16"

**30 mm** 1 3/16"

35 mm

**35 mm** 1 3/8"

**35 mm** 1 3/8"

D

**70 mm** 2 3/4"

Е

110 mm

120 mm 4 3/4"

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

REDITS

THESE PRODUCTS CONTRIBUTE TO	LEED®	CRE

△ = BLACK AND WHITE NO MINIMUM ORDER

ITEM

△ 3CC.307.0023 .xx

3CC.321.0025 .xx

△ 3CC.322.0030 .xx

△ 3CC.308.0035 .xx

3CC.311.0065 .xx

3CC.311.9999 .xx

ø | |

D

В

А

ø

30 mm

1 3/16'

**30 mm** 1 3/16"

**30 mm** 1 3/16"

35 mm 1 3/8"

**35 mm** 1 3/8"

**35 mm** 1 3/8"

D

**70 mm** 2 3/4"

**70 mm** 2 3/4"

**70 mm** 2 3/4"

70 mm

**70 mm** 2 3/4"

**70 mm** 2 3/4"

XX = FINISH CODE

Grey

Red






White

Black







.10 BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED

.01 .07 .09

ITEM

△ 3CC.305.0023 .xx

3CC.319.0025 .xx

3CC.320.0030 .xx

△ 3CC.306.0035 .xx

△ 3CC.310.0065 .xx

3CC.310.9999 .xx

Α

230 mm

9 1/16

**250 mm** 9 27/32"

**300 mm** 11 13/16

350 mm

650 mm 25 19/32

custom

в

260 mm

280 mm


**330 mm** 13"


**385 mm** 15 5/32"

685 mm 26 15/16"

custom

10 1/4'





ITEM	А	В	ø	D	Е
3CC.308.035I .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	80 mm	<b>110 mm</b>
	13 25/32"	15 5/32"	1 3/8"	3 5/32"	4 5/16"

ITEM	Α	В	Ø	D	E
3CC.309.0023 .xx	<b>230 mm</b>	<b>260 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>190 mm</b>
	9 1/16"	10 1/4"	1 3/16"	2 3/4"	7 15/32"
3CC.329.0025 .xx	<b>250 mm</b>	<b>280 mm</b>	<b>30 mm</b>	<b>70 mm</b>	<b>210 mm</b>
	9 27/32"	11"	1 3/16"	2 3/4"	8 1/4"
3CC.318.0030 .xx	<b>300 mm</b>	<b>335 mm</b>	<b>35 mm</b>	<b>70 mm</b>	<b>265 mm</b>
	11 13/16"	13 3/16"	1 3/8"	2 3/4"	10 7/16"



### .XX = FINISH CODE


POLYAMIDE 6 STANDARD BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED .10


.01 .07 .09

pbc

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





ITEM	А	В	Ø	D	Е
3CC.330.0030 .xx	<b>300 mm</b>	<b>330 mm</b>	<b>30 mm</b>	<b>65 mm</b>	<b>165 mm</b>
	11 13/16"	13"	1 3/16"	2 9/16"	56 1/2"
3CC.316.0042 .xx	<b>425 mm</b>	<b>460 mm</b>	<b>35 mm</b>	<b>70 mm</b>	<b>235 mm</b>
	16 3/4"	18 1/8"	1 3/8"	2 3/4"	9 1/4"

ITEM	А	В	Ø	D	E
3CC.335.0043 .xx	<b>430 mm</b>	530 mm	<b>35 mm</b>	80 mm	<b>125 mm</b>
	17 9/32"	20 55/64"	1 3/8"	3 5/32"	4 59/64"
3CC.336.0050 .xx	<b>500 mm</b>	645 mm	<b>35 mm</b>	<b>75 mm</b>	<b>80 mm</b>
	19 11/16"	25 25/64"	1 3/8"	2 15/16"	3 1/8"



.XX = FINISH CODE

.10


POLYAMIDE 6 STANDARD BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED

.01 .07 .09


ρbα

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



В



I

Е

ITEM	A	в	Ø	D	Е
△ 3CC.331.0035 .xx	<b>350 mm</b>	<b>385 mm</b>	<b>35 mm</b>	<b>73 mm</b>	<b>125 mm</b>
	13 25/32"	15 5/32"	1 3/8"	2 7/8"	4 29/32"

ITEM	A	в	D	E	F
3CC.358.0032 .xx	<b>320 mm</b> 12 19/32"	<b>430 mm</b> 17 9/32"	<b>72 mm</b> 2 53/64"		<b>30 mm</b> 1 3/16"



### .XX = FINISH CODE

.10

POLYAMIDE 6 STANDARD BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED

.01 .07 .09


 $\Delta$  = BLACK AND WHITE NO MINIMUM ORDER


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.



pbc





	D	
_		
A		в
_		

ITEM	А	В	Ø	D	Е
3CC.332.0035 .xx	<b>350 mm</b>	<b>400 mm</b>	<b>35 mm</b>	<b>70 mm</b>	<b>85 mm</b>
	13 25/32"	15 3/4"	1 3/8"	2 3/4"	3 11/32"

ITEM	Α	В	Ø	D
△ 3CC.314.0035 .xx	<b>350 mm</b>	<b>520 mm</b>	<b>35 mm</b>	<b>70 mm</b>
	13 25/32"	20 1/2"	1 3/8"	2 3/4"
3CC.315.0055 .xx	550 mm	<b>720 mm</b>	<b>35 mm</b>	<b>70mm</b>
	21 2132"	28 11/32"	1 3/8"	2 3/4"
3CC.315.9999 .xx	custom	custom	<b>35 mm</b> 1 3/8"	<b>70 mm</b> 2 3/4"

Black White Grey Red 

.XX = FINISH CODE

.10


POLYAMIDE 6 STANDARD BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED

.01 .07 .09

 $\Delta$  = BLACK AND WHITE NO MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.





.XX = FINISH CODE

#### POLYAMIDE 6 STANDARD .10

- BLACK POLYAMIDE 6 UPON REQUEST (minimum lot to be agreed) WHITE GREY RED
- .01 .07 .09
- DESTRO RIGHT DROITE RECHTS SINISTRO LEFT GAUCHE LINKS .1 .2

٠


 $\Delta$  = BLACK AND WHITE NO MINIMUM ORDER

Pulls\_105

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.


TECHNICAL INFORMATION



- SINGOLO NON PASSANTE PER LEGNO


Glass protections included - Spessori per protezione vetro in dotazione






# **PULL HANDLES**

### FIXINGS D - FISSAGGI D




# **MANIGLIONI - PULL HANDLES**

### FIXINGS D - FISSAGGI D



SPACERS FOR DOUBLE GLAZED DOOR



## **ROUND SPACERS**

